



WHO WE ARE

PRO[®] Shocks is an established manufacturing company that has been building shocks, servicing customers needs, and delivering championships for over 30 years. The key to our success is attention to detail. Our shocks are carefully built to strict tolerances to ensure maximum value and performance. We back up our suspension components with talented sales, tech and customer service personnel to ensure you receive the product you want, the answers you need and the support you demand.



PERFORMANCE DRIVEN

The PRO[®] Shocks reputation for building winning racing and performance shocks begins with the company's comprehensive knowledge of chassis dynamics. The proven performance that makes PRO[®] Shocks suspension systems famous for quality comes from a precision manufacturing environment.

\bigcirc PREMIER DESIGN & ENGINEERING

Our great products start with the best design and engineering people. Our engineering team is one of the most experienced in the industry. PRO[®]Shocks products are known for reliability, performance, value and innovation. Before we ever release the first iteration of a new product, we use a combination of: vehicle data collection tools, 3-D design software, extensive CAD modeling, finite element analysis testing, laboratory testing and extensive field trials to make sure you are getting the best product for your money. We spend countless hours on the road testing and refining our products at the tracks with our customers so you can be sure our products will work as advertised every time!



MANUFACTURING EXCELLENCE

We have built a winning reputation by manufacturing and building quality suspension components for over 3 decades. Producing shocks that win on all levels starts with a comprehensive knowledge of chassis dynamics. From there, stringent tolerances are held during the assembly and dyno process so that the finished product performs better than expected. At PRO[®] Shocks, winning is something we enjoy doing every day. Success starts with attention to detail and ends with you.

CUNRIVALED CUSTOMER SERVICE & TRAINING

Building a program that has been an industry leader for over 30 years starts with great people. The sales, tech and customer support team is made up of dedicated, race oriented professionals who understand the industry, the need to get it right and the desire to serve. Our goal is to offer excellent service.

WINNING PRODUCTS

The PRO[®] Shocks advantage is available in thousands of products for a wide range of applications. The common thread that ties all PRO[®] Shocks products together is performance. PRO[®] Shocks products are built to perform because we like to win! Manufacturing a second place product just doesn't interest us. Our unrelenting passion to be the best is the reason professional racers have relied on PRO[®] Shocks products for over 30 years!

TRACK-SIDE SERVICE

PRO[®] Shocks strives to provide you with the best products and service in the industry. As part of our service-oriented philosophy we have three track service vehicles staffed with shock technicians to visit racetracks around the country. From our 40' Renegade Shock Service Truck, 38' Gold Rush Gooseneck Shock Service Trailer and our Shock Service Sprinter Van, we are able to repair and revalve PRO[®] Shocks for our customers on the spot.

This service not only provides a convenience in time and freight savings for our customers, but also keeps our techs on the cutting-edge of the latest trends. Our shock service vehicles travel with a knowledgeable staff of technicians, shock dynos, repair/revalve parts and a spring load rater to help you make those crucial coil-over bumpstop and spring changes. Look for one of our mobile shock service vehicles at a track near you!

LIMITED WARRANTY

AFCO Performance Group will repair or replace any products found upon our inspection to be defective in workmanship or material within 12 months from date of purchase for the original purchaser. Except for the limited warranty set forth herein, AFCO Performance Group makes no warranties either expressed or implied, written or oral, with regard to the products including, without limitation, any warranty of merchantability or fitness for a particular purpose. In no event shall AFCO Performance Group be liable for any special, incidental or consequential damages, or any other damages whatsoever arising out of or connected with the use or misuse of the products. Purchasers acknowledge and agree that no person, entity or agent of AFCO Performance Group has any authority to make any statement contrary to this disclaimer and that any warranty statements or representations allegedly made on behalf of AFCO Performance Group by any such person, entity or agent are void. AFCO Performance Group products are not D.O.T. approved or intended for street use. Purchasers are relying solely on their own skill and judgment to select, purchase and use suitable products and assume all responsibility and risk with regard thereto.

> © Copyright 2024 AFCO Performance Group -Printed in the U.S.A.-

This catalog may not, in whole or in part, be copied, photocopied, reproduced, or converted to any electronic or machine-readable form without written consent of AFCO Performance Group.



afcoracing.com

OPEN WHEEL, ASPHALT MODIFIED, ASPHALT LATE MODEL, DIRT LATE MODEL

BIG BODY					JBLE STABLE
ADJUSTABLE		STROKE	BODY O.D.	COMPRESSED	EXTENDED
40/4050		5"	2"	11.125"	16.625"
A2/ACF2		6"	2"	12.125"	18.625"
SERIES		7"	2"	13.125"	20.625"
		8"	2"	14.125"	22.625"
PAGE 6-7	A COLOR	9"	2"	15.125"	24.625"

BIG BODY ADJUSTABLE

A1/ACF1 **SERIES** PAGE 8-9



		ADJUS	STABLE	
STROKE	BODY O.D.	COMPRESSED	EXTENDED	
5"	2"	11.25"	15.75"	_
6"	2"	12.25"	17.75"	
7"	2"	13.25"	19.75"	
8"	2"	14.25"	21.75"	
9"	2"	15.25"	23.75"	

SINGLE

NON-

NON-

٦

BIG BODY NON-ADJUSTABLE A X/ACF X SERIES

PAGE 10-11

BIG BODY



		ADJUS	TABLE
STROKE	BODY O.D.	COMPRESSED	EXTENDED
5" (ACF ONLY)	2"	10.5"	15.5"
6" (A ONLY)	2"	11.5"	17.5"
7"	2"	12.5"	19.5"
8"	2"	13.5"	21.5"
9"	2"	14.5"	23.5"

NON-ADJUSTABLE				ADJUS	STABLE
	R-LO	STROKE	BODY O.D.	COMPRESSED	EXTENDED
A/AC		5" (AC ONLY)	2"	10.5"	15.5"
SERIES		6"	2"	11.5"	17.5"
JENIES		7"	2"	12.5"	19.5"
PAGE 14-15		8"	2"	13.5"	21.5"
		9"	2"	14.5"	23.5"

OPEN WHEEL

SMALL BODY ADJUSTABLE


G/GC SERIES PAGE 12-13

BULB				GLE STABLE
GAS	STROKE	BODY O.D.	COMPRESSED	EXTENDED
	5" (GC ONLY)	1.63"	11.68"	16.68"
	6"	1.63"	12.68"	18.68"
	7"	1.63"	13.68"	20.68"
	8" (G ONLY)	1.63"	14 68"	22.68"

SMALL BODY					ON- STABLE
NON-ADJUSTABLE		STROKE	BODY O.D.	COMPRESSED	EXTENDED
ASB SERIES		5"	1.63"	10.5"	15.5"
		6"	1.63"	11.5"	17.5"
PAGE 16-17	R III	7"	1.63"	12.5"	19.5"
		8"	1.63"	13.5"	21.5"

Prices Subject to Change Without Notice

OPEN WHEEL MODIFIED



	NON- ADJUSTABLE						
STROKE	BODY O.D.	COMPRESSED	EXTENDED				
7"	2"	12.5"	19.5"				
9"	2"	14.5"	23.5"				



		ADJUS	STABLE
STROKE	BODY O.D.	COMPRESSED	EXTENDED
4"	2"	9.5"	13.5"
5"	2"	10.5"	15.5"
6"	2"	11.5"	17.5"
7"	2"	12.5"	19.5"
8"	2"	13.5"	21.5"
9"	2"	14.5"	23.5"

NON-

STEEL BIG BODY **NON-ADJUSTABLE TAKE APART**

TA SERIES

PAGE 20-21



ASB/SR SERIES PAGE 24-25



STROKE	BODY O.D.	RIDE HEIGHT	MOUNTING TYPE	
3"	1.63"	10.5"	URETHANE OR BEARING	
4"	1.63"	11.5"	URETHANE OR BEARING	
5"	1.63"	13.5"	URETHANE OR BEARING	
6"	1.63"	15"	URETHANE OR BEARING	

BUILD YOUR OWN ASB/SR SERIES

Construct a shock to meet your specific needs.

PAGE 25

Choose from a selection of part numbers to modify. Pick your components and accessories to build a unique shock.



OVAL TRACK COIL-OVER KITS

ACF, AC, ASB, TA, WB SERIES

PAGE 22-23

SPRINGS AND ACCESSORIES

SHOCK ACCESSORIES

PAGE 28





PAGE 27



CHROME SPRINGS

PAGE 26



SHOCK INDEX

CONNECT WITH PRO® www.PROshocks.com 855-682-4404 (COMP)

PRO® TWIN SERIES (ALUMINUM BIG BODY) A2 SERIES DOUBLE ADJUSTABLE

A2 Series

Double Adjustable:

7<u>9</u>_99_{Ea.}



Keeping the drive to stay on top of the shock world, the engineers at PRO[®] Shocks have designed a double rebound adjustable shock. The A2/ACF2 Series offers independent high and low speed adjustability. By having a low speed adjuster through the rod end, the user is given the ability to make easier and faster valve changes. By separating the high and low speed in the system, the A2/ACF2 shock gives multiple rebound valving options while maintaining little to no hysteresis. With the adjustment range in the shock, the racer is able to fine-tune their car to maximum speed. Each shock will come serial numbered and dyno tested to ensure optimum performance and driver feel. Call PRO[®] Shocks to get the specific valving for your racing application.

- Independent high and low speed rebound adjustability.
- Large range of rebound options with little to no hysteresis.
- 32 clicks of low speed adjustment and 40 clicks of high speed adjustment for ultimate tuning.
- Steel billet piston design for internal sealing and endurance.
- Fluid recirculation system to balance internal pressures and give the ultimate in driver feel.

SEE PAGE 27 FOR VALVE CODE OPTIONS AND PAGE 31 FOR DYNO CHARTS.



6

PRO® TWIN SERIES (ALUMINUM BIG BODY) **ACF2 SERIES DOUBLE ADJUSTABLE**

ACF2 Series

Double Adjustable:

79,99_{Ea.}

HOW TO SPECIFY YOUR SHOCK

To order the shock combination you want, construct your shock part number by following the example below. The shock series is the first designation, then the stroke length number. Next, choose the compression valving range and then the adjustable rebound valving range. See example below.

SHOCK SERIES	+ STROKE Length	+ COMPRESSION VALVING OPTION	+	ADJ. REBOUND Valving Ranges	=	PART NUMBER	
EXAMPLE: A2 or ACF2	7"	5		8-12		ACF2758-12	

POSSIBLE COMBINATIONS									
SHOCK SERIES	STROKE OPTIONS	COMPRESSION VALVING OPTIONS	REBOUND VALVING RANGES						
A2 or ACF2	5", 6", 7", 8" or 9"	0.5 to 9	3-7, 6-11, 8-12, 10-14						
CUSTOM VALVING OPTIONS AVAILABLE									

C356 COMPLETE 2.5" FLAT COIL-OVER KIT - \$67.99







STABLE PED OCUBL

PRO® TWIN SERIES (ALUMINUM BIG BODY) A1 SERIES SINGLE ADJUSTABLE

A1 Series

Single Adjustable:

Q_99_{Ea.}

The A1/ACF1 Single Adjustable Series has been designed based on driver input and on-track performance. Through racing applications and in-house dyno evaluation, PRO[®] has developed the ultimate rebound adjustable shock. Each aluminum PRO[®] Twin Tube Shock is carefully hand-built and comes with a serial numbered dyno graph for reference setting. PRO[®] Shocks carries all of the popular valve combinations and custom valving options are available. Call PRO[®] Shocks for details.

- Valve body with 32 clicks of adjustment for fine-tuning.
- Low speed adjustable for the ultimate in driver feel.
- Steel billet piston design for internal sealing and endurance.
- Low friction steel bearing rotates freely and withstands high temperatures.

> SEE PAGE 27 FOR VALVE CODE OPTIONS AND PAGE 30 FOR DYNO CHARTS.



8

Prices Subject to Change Without Notice

PRO® TWIN SERIES (ALUMINUM BIG BODY) ACF1 SERIES SINGLE ADJUSTABLE

ACF1 Series

Single Adjustable: \$**399**,99_{Ea.}

HOW TO SPECIFY YOUR SHOCK

To order the shock combination you want, construct your shock part number by following the example below. The shock series is the first designation, then the stroke length number. Next, choose the compression valving number and then the adjustable rebound valving range. See example below.

	SHOCK Series	+	STROKE Length	+	COMPRESSION VALVING OPTION	+	ADJ. REBOUND Valving Ranges	=	PART NUMBER	
EXAMPLE: A1	or ACF1		6"		8		4-7		ACF1684-7	

	POSSIBLE CO	MBINATIONS	
SHOCK SERIES	STROKE OPTIONS	COMPRESSION VALVING OPTIONS	REBOUND VALVING RANGES
A1 or ACF1	5", 6", 7", 8" or 9"	0.5 to 9	3-6, 4-7, 6-9, 8-10, 10-12, 12-14
	CUSTOM VALVING O	PTIONS AVAILABLE	

C352 COMPLETE 2.5" FLAT COIL-OVER KIT - \$67.99

NEW AND IMPROVED SEAT RETENTION SYSTEM! -Requires New B212 or B212-1 Billet Rod End.



C353 COMPLETE 2.5" TAPERED COIL-OVER KIT - \$67.99



NEW AND IMPROVED SEAT RETENTION SYSTEM! -Requires New B212 or B212-1 Billet Rod End.

B212 AND B212-1 BILLET ROD ENDS - \$31.99

- High quality billet rod end.
- Accommodates new and improved seat retention system.





PRO[®] TWIN SERIES (ALUMINUM BIG BODY) A X-SERIES NON-ADJUSTABLE



The Non-Adjustable Black X-Series has been designed based on driver input and on-track performance. Through racing applications and in-house dyno evaluation, PRO[®] has developed the ultimate non-adjustable shock. Each PRO[®] Twin Tube Shock is carefully hand-built and dyno sheets are included with every shock. PRO[®] Shocks carries all of the popular valve combinations. The smooth finish shocks are targeted at Sprint Car applications. The threaded finish shocks are targeted at Pavement and Dirt Late Model applications.

- Upgraded shaft seals to protect shocks from dirt and debris.
- Wear-resistant steel billet pistons for improved sealing and increased durability.
- Dual bleed ports in body for more consistent builds.
- High precision components for more consistent builds.
- Optimized low speed control for the ultimate in driver feel.
- Rebuildable and revalveable.

> SEE PAGE 27 FOR VALVE CODE OPTIONS.

BILLET ROD ENDS B200AB - \$31.99, 55000053420 - \$30.99

High quality standard billet rod end and 1" extended billet rod end.



Jamie Veal Photo courtesy of <u>Gary Reid.</u>

PRO® TWIN SERIES (ALUMINUM BIG BODY) ACF X-SERIES NON-ADJUSTABLE

ACF X-Series

Non-Adjustable:

74.99_{Ea.}

HOW TO SPECIFY YOUR SHOCK

To order the shock combination you want, construct your shock part number by following the example below. The shock series is the first designation, then the stroke length number. Next, choose the compression valving number and then the rebound valving number. See example below.

	SHOCK Series	+	STROKE Length	+	COMPRESSION Valving options	+	REBOUND VALVING OPTIONS	+	X	=	PART Number
EXAMPLE:	A or ACF		6"		3		0		Х		A630X

	P	DSSIBLE COMBINA	TIONS	
SHOCK SERIES	STROKE OPTIONS	COMPRESSION VALVING OPTIONS	REBOUND VALVING OPTIONS	BEARING DESIGNATION
А	6", 7", 8" or 9"	1 to 9	1 to 14	Х
ACF	5", 6", 7", 8" or 9"	1 to 9	1 to 14	Х

CUSTOM VALVING OPTIONS AVAILABLE - SEE PAGE 27 FOR VALVE CODE OPTIONS.

C352 COMPLETE 2.5" FLAT COIL-OVER KIT - \$67.99

NEW AND IMPROVED SEAT RETENTION SYSTEM!

-Requires New B212B or A550010036B 1" Extended Billet Rod End.





NEW AND IMPROVED SEAT RETENTION SYSTEM! -Requires New B212B or

A550010036B 1" Extended Billet Rod End.



B212B



Big Body Bump Cup 11000071611 \$69.99




BILLET ROD ENDS B212B - \$31.99 / A550010036B - \$29.99

- High quality billet rod end.
- Accommodates new and improved seat retention system.
- A550010036B

MONOTUBE GAS SERIES SERIES SINGLE ADJUSTABLE G

G Series

Sinale Adiustable:



- Balanced internal pressures through extensive research and development.
- Newly designed piston and base valve for optimized hysteresis.
- One of the lightest shocks on the market.
- Double-Digressive and Linear-Linear piston options.
- Base valve with tuner-friendly deflective disc technology.
- Available in compression or rebound adjustable.

SEE PAGE 27 FOR VALVE CODE OPTIONS AND PAGE 29 FOR DYNO CHARTS.



MONOTUBE GAS SERIES (ALUMINUM SMALL BODY) GC SERIES SINGLE ADJUSTABLE

HOW TO ORDER YOUR G or GC SERIES SINGLE ADJUSTABLE SHOCKS

To order the shock combination you want, construct your shock part number by following the examples below. The shock series is the first designation, then the stroke length number. Next, choose the compression valving number and then the rebound valving number. **See examples below**.

REBOUND ADJUSTABLE EXAMPLE

	SHOCK SERIES	+	STROKE LENGTH	+	COMPRESSION NUMBER	+	REBOUND ADJ NUMBER	+	DIGRESSIVE/LINEAR PISTON (D/L)	EXAMPLE PART NUMBER
-	G		6″ - 8″		2 to 7		2-5.5, 3-6, 4-7		D	G64-36D
	GC		5″ - 7″		2 to 7		2-5.5, 3-6, 4-7		D	GC54-36D

COMPRESSION ADJUSTABLE EXAMPLE

SHOCK SERIES	+ STROKE + LENGTH	COMPRESSION ADJ NUMBER	+ REBOUND NUMBER	+	DIGRESSIVE/LINEAR PISTON (D/L)	EXAMPLE PART NUMBER
G	6" - 8"	4-6, 5-7	2 to 7		D	G846-4D
GC	5" - 7"	4-6, 5-7	2 to 7		D	GC546-4D

GC SERIES C332 COIL-OVER KIT - \$67.99

G or GC SERIES SINGLE ADJ. CUSTOM BUILD SHOCKS

G or GC Series Rebound Adjustable Custom Build GC5ARD, G(or GC)6ARD, G(or GC)7ARD, G8ARD

G or GC Series Compression Adjustable Custom Build

GC5ACD, G(or GC)6ACD, G(or GC)7ACD, G8ACD

G and GC SERIES SHOCK ACCESSORIES

Gas Pressure Gauge, Part #GAUGE - \$83.99	
Double Digressive Piston Assembly, Part #1100006445 - \$91.99	Б-h
Linear Piston, Part #110000650 - \$58.99	
Linear Piston Plate - High Flow, Part #1100006443 - \$37.99	
Bump Cup, Part #11000071610 - \$69.99	3
1" Extended Rod End, Part #11000024144 - \$102.99	
Bumpstop 58mm Soft Red, Part #223527 - \$35.99	-
Bumpstop 58mm Medium Natural, Part #223533 - \$35.99	
Bumpstop 58mm Hard Blue, Part #223539 - \$35.99	-
Remote Adapter Kit, Part #550040022 - \$17.99	

Single Adjustable: **\$524.99**_{Ea.}

GC Series




SUSPENSION

PRO® TWIN SERIES A SERIES NON-ADJUSTABLE

A Series

Non-Adjustable:



- Optimized low speed control for the ultimate in driver feel.
- New and improved shock oil for fade free performance.
- Low friction steel bearing rotates freely and withstands high temperatures.
- In stock and ready to ship.





14

PRO® TWIN SERIES (ALUMINUM BIG BODY) **AC SERIES NON-ADJUSTABLE**

AC Series

Non-Adjustable:

2**35.99**Ea

HOW TO SPECIFY YOUR SHOCK

To order the shock combination you want, construct your shock part number by following the example below. The shock series is the first designation, then the stroke length number. Next, choose the compression valving number and then the rebound valving number. See example below.

	SHOCK Series	+ STROKE Length	+	COMPRESSION VALVING OPTIONS	+	REBOUND Valving options	+	В	=	PART NUMBER
EXAMPLE	: A or AC	6"		3		0		В		A630B

	P	DSSIBLE COMBINA	TIONS	
SHOCK SERIES	STROKE OPTIONS	COMPRESSION VALVING OPTIONS	REBOUND VALVING OPTIONS	BEARING DESIGNATION
A	6", 7", 8" or 9"	0.5 to 9	0.5 to 14	В
AC	5", 6", 7", 8" or 9"	0.5 to 9	0.5 to 14	В

CUSTOM VALVING OPTIONS AVAILABLE - SEE PAGE 27 FOR VALVE CODE OPTIONS.

STANDARD C320 COMPLETE 2.5" COIL-OVER KIT - \$62.99

2.5" TAPERED COIL-OVER KIT FOR USE WITH STANDARD B200 ROD END!



See pages 22-23 for Oval Track Accessories.





-Requires New B212 or B212-1 Billet Rod End.



B212 AND B212-1 BILLET ROD ENDS - \$31.99

- High quality billet rod end.
- Accommodates new and improved seat retention system.

PRO® TWIN SERIES (ALUMINUM SMALL BODY) ASB SERIES NON-ADJUSTABLE

ASB Series

Non-Adjustable:

15_99_{Ea.}

Through on-track testing and in-house dyno evaluation, this entire product line has been treated to improvements. From the smooth body and threaded body, non-adjustable version, PRO[®] Twin Tube Shocks are carefully hand-built, serial numbered and dyno tested. Each aluminum PRO[®] Twin Tube Shock comes with a serial numbered dyno graph.

The valving of the small body series has the same quality damping curves as the proven non-adjustable big body series. PRO[®]Shocks carries all of the popular valving combinations and custom valving options are available. Call PRO[®]Shocks for details.

- Provides superior driver feel for ultimate traction.
- Rebuildable and revalvable.
- Hand-built, one at a time.
- Dyno sheets included with every shock.
- Bearings, travel indicator, and jam nut included.

SEE PAGE 27 FOR VALVE CODE OPTIONS.



```
C330 COIL-OVER KIT - $67.99
```

CJ Leary

Prices Subject to Change Without Notice

16

PRO® TWIN SERIES (ALUMINUM SMALL BODY) ASB SERIES NON-ADJUSTABLE

HOW TO SPECIFY YOUR NON-ADJUSTABLE SHOCK

To order the shock combination you want, construct your shock part number by following the example below. The shock series is the first designation, then the stroke length number. Next, choose the compression valving number and then the rebound valving number. See example below.

EXAMPLE:	SHOCK SERIES	+ STROK Lengt	COMPRESSION VALVING OPTIONS	+	REBOUND Valving options	+	BEARING Designation	=	PART Number
NON-ADJ.	ASB	6"	3		3		В		ASB633B

	POPULAR NON-ADJUSTAB	LE VALVING COMBINATION	IS
VALVING	6" STROKE	7″ STROKE	8" STROKE
3 VALVE	ASB630B	ASB730B	ASB830B
3-5 VALVE	ASB635B	ASB735B	ASB835B
4 VALVE	ASB640B	ASB740B	ASB840B
4-6 VALVE	ASB646B	ASB746B	ASB846B
5 VALVE	ASB650B	ASB750B	ASB850B
5-1 VALVE	ASB651B	ASB751B	ASB851B
5-2 VALVE	ASB652B	ASB752B	ASB852B
5-3 VALVE	ASB653B	ASB753B	ASB853B
5-4 VALVE	ASB654B	ASB754B	ASB854B
5-7 VALVE	ASB657B	ASB757B	ASB857B

CUSTOM VALVING OPTIONS AVAILABLE



ASB SERIES SMALL BODY THREADED





WB SERIES (STEEL BIG BODY) WB SERIES NON-ADJUSTABLE

WB Series:

19.99_{Fa}

The PRO[®] WB Series Shocks feature a hardened 9/16" shaft with a non-removable rod end while still maintaining our superior, yet economical gas cell design. A snap ring groove has also been added to allow the use of a coil-over kit. These shocks are ideal for any type of racing that requires a steel body non-rebuildable style shock.

- Hardened 9/16" shaft with non-removable rod end.
- Twin tube design for great driver feel.
- Available in a wide range of valve options tune your chassis for speed.
- Split valve options available for maximum traction.
- Great shock for both dirt and asphalt.

HOW TO SPECIFY YOUR SHOCK

To order the shock combination you want, construct your shock part number by following the example below. The shock series is the first designation, then the stroke length, compression valving, rebound valving, and black body WB Series designation. An example part number would be WB735BK.

SHOCK SERIES	STROKE LENGTH	COMPRESSION VALVING	REBOUND VALVING	BLACK BODY WB
WB	7	3	5	BK

DESCRIPTION	7" STROKE	9" STROKE
3 VALVE	•	WB93BK
3-5 VALVE	WB735BK	WB935BK
4 VALVE	WB74BK	WB94BK
4-6 VALVE	WB746BK	WB946BK
4-8 VALVE	WB748BK	•
5 VALVE	WB75BK	WB95BK
5-10 VALVE	WB7510BK	•
5-3 VALVE	WB753BK	WB953BK
6 VALVE	WB76BK	WB96BK
6-3 VALVE	WB763BK	•
7 VALVE	WB77BK	•
7-2 VALVE	•	WB972BK
9-1 VALVE	WB791BK	WB991BK

9/16" Shaft

18

WB SERIES (STEEL BIG BODY) WB SERIES NON-ADJUSTABLE




FOR BLACK BODY WB SERIES "WITH REMOVABLE ROD END" COIL-OVER KITS SEE PAGE 23.

FOR "GOLD BODY" WB SERIES COIL-OVER KITS SEE PAGE 23.



TAKE APART SERIES (STEEL BIG BODY) TA SERIES NON-ADJUSTABLE



PRO[®] Shocks offers a complete lineup of steel take apart shocks for all forms of racing. These shocks are fully rebuildable and available in virtually any valve configuration. All TA shocks are a twin tube design providing superior driver feel. Additionally, all TA shocks feature a snap ring groove allowing the shock to be used as a coil-over unit. Hundreds of feature events have been won on the PRO[®] TA Series shocks. For driver feel, ease of tuning, and value for your money, choose PRO[®] TA Series shocks.




Shock ends are sold separately. You will need to order (2) rod ends (# WB200 - \$17.99 each) to complete your order for the TA Series.

- Twin tube design for great driver feel.
- Take apart style enables repair and revalve work.
- Almost any valving option is available to fine-tune your chassis.
- Great choice for both dirt and asphalt.

> SEE PAGE 27 FOR VALVE CODE OPTIONS.

SEE PAGE 23 FOR TA SERIES COIL-OVER KITS.



TAKE APART SERIES (STEEL BIG BODY) TA SERIES NON-ADJUSTABLE

TA NON-ADJUSTABLE SMOOTH BIG BODY STEEL

			n you want	, construct	your shocl	k part num	NON-ADJ ber by followin mber and then	ig the exan	nple below	. The shock			signation,	TA Series Non-Adjusta \$189.	ble:
		S	HOCK ERIES	+	STROKE LENGTH	+	COMPRESSI VALVING OPT	ON +		REBOUNE VING OPT)	EXA	MPLE UMBER		
NON-AD	DJUSTABLE		TA		4" - 9"		1-9			0.5-14		TA	717		
			POP	ULAR N	ION-AD	JUSTA	BLE VALVI	NG COM	MBINAT	IONS					
VALVE	4″ STROKE	5″ STROKE	6″ STROKE	7″ STROKE	8″ STROKE	9″ STROKE	VALVE	4″ STROKE	5″ STROKE	6″ STROKE	7″ STROKE	8″ STROKE	9″ STROKE		Body
3	TA430	TA530	TA630	TA730	TA830	TA930	5-4	TA454	TA554	TA654	TA754	TA854	TA954		Big
3-5	TA435	TA535	TA635	TA735	TA835	TA935	5-7	TA457	TA557	TA657	TA757	TA857	TA957		2" E
4	TA440	TA540	TA640	TA740	TA840	TA940	6	TA460	TA560	TA660	TA760	TA860	TA960	0	
4-6	TA446	TA546	TA646	TA746	TA846	TA946	6-3	TA463	TA563	TA663	TA763	TA863	TA963		
5	TA450	TA550	TA650	TA750	TA850	TA950	6-4	TA464	TA564	TA664	TA764	TA864	TA964		
5-1	TA451	TA551	TA651	TA751	TA851	TA951	7	TA470	TA570	TA670	TA770	TA870	TA970	REQUIRES (2) WB200	
5-2	TA452	TA552	TA652	TA752	TA852	TA952	8	TA480	TA580	TA680	TA780	TA880	TA980	ROD ENDS	
5-3	TA453	TA553	TA653	TA753	TA853	TA953	9-1	TA491	TA591	TA691	TA791	TA891	TA991	\$17.99 each	

CUSTOM VALVING OPTIONS AVAILABLE



FOLLOW US ONLINE FOR PRODUCT HIGHLIGHTS, TECH TIPS, & MORE...

VISIT US ONLINE AT PROSHOCKS.COM

FIND A REBUILDERSHOP THE ONLINE STORE

WATCH TUTORIALSPLACE AN ORDER

SCAN THIS OR CODE TO DOWNLOAD A DIGITAL COPY OF OUR NEWEST CATALOG!

PROSHOCKS.COM/CATALOG



SHOCK ACCESSORIES

OVAL TRACK ACCESSORIES

ACF2 SERIES ACCESSORIES

C357 COMPLETE 2.5" TAPERED COIL-OVER KIT - \$67.99



C356 COMPLETE 2.5" FLAT COIL-OVER KIT - \$67.99



PART #	PRICE
20130B	\$31.99
20128DB	\$38.99
C354	\$50.99
10243SR	\$6.99
	20130B 20128DB C354

C353 COMPLETE 2.5" TAPERED COIL-OVER KIT - \$64.99

INDIVIDUAL ACCESSORIES	PART #	PRICE
2.5" TAPERED UPPER SPRING SEAT - ALUM.	20130B	\$31.99
C/O NUT, 2-1/8"-10 THREAD	C354	\$50.99
UPPER SPRING SEAT CLIP RETAINER	10243SR	\$6.99
SWIVEL DELETE CUP	20128D-2	\$23.99
STANDARD BILLET ROD END	B212	\$31.99
1" EXTENDED BILLET ROD END	B212-1	\$31.99
WASHER 1.18" X 0.827" X 0.078"	A550090005X	\$3.99

C352 COMPLETE 2.5" FLAT COIL-OVER KIT - \$64.99



	INDIVIDUAL ACCESSORIES	PART #	PRICE
	2.5" FLAT UPPER SPRING SEAT - ALUM.	20128DB	\$38.99
3	C/O NUT, 2-1/8"-10 THREAD	C354	\$50.99
IJ	UPPER SPRING SEAT CLIP RETAINER	10243SR	\$6.99
-	SWIVEL DELETE CUP	20128D-2	\$23.99
	STANDARD BILLET ROD END	B212	\$31.99
	1" EXTENDED BILLET ROD END	B212-1	\$31.99
	WASHER 1.18" X 0.827" X 0.078"	A550090005X	\$3.99


AC, ACR1 SERIES NON-ADJUSTABLE ACCESSORIES

C350 COMPLETE 2.5" TAPERED COIL-OVER KIT FOR NON-ADJ. AC, ACR1 SERIES - \$67.99 NOTE: For use with new B212 or B212-1 billet rod end.



ACF1 & ACF X-SERIES ACCESSORIES





C320 COMPLETE 2.5" COIL-OVER KIT FOR NON-ADJ. AC SERIES - \$62.99



INDIVIDUAL ACCESSORIES	PART #	PRICE
2.5" UPPER SPRING SEAT - ALUM.	C303	\$36.99
2.5" AC SHOCK ADJUSTABLE NUT	C321	\$31.99
"DIAPER PIN" - BB	10157	\$10.99



NOTE: For use with new B212 or B212-1 billet rod end.



INDIVIDUAL ACCESSORIES	PART #	PRICE
SPRING SEAT	20128DB	\$38.99
2.5" AC SHOCK ADJUSTABLE NUT	C321	\$31.99
UPPER SPRING SEAT CLIP RETAINER	10243SR	\$6.99
SWIVEL DELETE CUP	20128D-2	\$23.99
STANDARD BILLET ROD END	B212	\$31.99
1" EXTENDED BILLET ROD END	B212-1	\$31.99
WASHER 1.18" X 0.827" X 0.078"	A550090005X	\$3.99

INDIVIDUAL ACCESSORIES

B200A	C341	C304	A550090005X
0	$\overline{\mathbf{a}}$	0	0

INDIVIDUAL ACCESSORIES	PART #	PRICE
1/2" I.D. "BB" BEARING MOUNT	B200A	\$31.99
2.25" ADJUSTABLE NUT	C341	\$24.99

INDIVIDUAL ACCESSORIES	PART #	PRICE
2" WASHER - STAINLESS STEEL	C304	\$10.99
WASHER 1.18" X 0.827" X 0.078"	A550090005X	\$3.99

OVAL TRACK ACCESSORIES

DVER KIT FOR ASB - \$67.99 OVER KIT FOR ASB - \$57.99 ADDITIONAL ACCESSORIES 1.87 Image: Barry Stress of the stress of	DIVIDUAL ACCESSORIES 75" UPPER SPRING SEAT - ALUM. 75" ASB SHOCK ADJUSTABLE NUT APER PIN" - SB " UPPER SPRING SEAT - ALUM. " ASB SHOCK ADJUSTABLE NUT	PART # C378 C331	PF \$3
1.80 1.90 1.90	75" ASB SHOCK ADJUSTABLE NUT APER PIN" - SB " UPPER SPRING SEAT - ALUM.	C331	\$3
B275 C401 C402 DA 2.5' 2.5' 1/2' 1/2'	aper Pin" - Sb " Upper Spring Seat - Alum.		
	" UPPER SPRING SEAT - ALUM.		\$3
		C323	\$
	" ASB SHOCK ADJUSTABLE NUT	C303	\$3
		C336	\$3
DOL	" I.D. "SB" BEARING MOUNT	B275	\$3
	UBLE SPRING SLEEVE	C401	\$3
AAL .	M NUT DOUBLE SPRING KIT	C402	\$1
	and the second se		
	6		
C301WB C302 20130B 10243SR A550090151XM	ISR C328 20	118B A5500	90151
C301WB C302 20130B 10243SR A550090151XM C301WB 20130B 10243	ISR C328 20	1118B A55000 PART #	9
C301WB C302 20130B 10243SR A550090151XM C301WB 20130B 10243 INDIVIDUAL ACCESSORIES PART # PRICE INDIVIDUAL ACCESSORIES PART # PRICE INDIVIDUAL ACCESSORIES		9	90151) 90151) PRICE \$41.99
INDIVIDUAL ACCESSORIES PART # PRICE INDIVIDUAL ACCESSORIES PART # PRICE STEEL BEARING MOUNT WB200 \$17.99 UPPER SPRING SEAT - ALUM. 2.5" 20130B \$31.99 ADUIS	VIDUAL ACCESSORIES	PART #	PRICE

\$48.99

\$36.99

C305PG

\$5.99

\$36.99

10157

\$10.99

\$48.99

C305PG

\$5.99

\$36.99

10157

\$10.99

\$36.99

\$41.99

ASB/SR SERIES (ALUMINUM SMALL BODY) 3-POSITION REBOUND ADJUSTABLE COIL-OVER



SUSPENSION

PRO[®] Shocks delivers the ultimate coil-over Hot Rod shock in the ASB/SR Shock Series. Featuring an all-aluminum body and 3-position rebound adjustable valving, every Hot Rod deserves the plush ride delivered by the ASB/SR shocks. The true benefits from these shocks can be found in the adjustable valving. These shocks can be adjusted from "Soft" for a lightweight car, to "Firm" for a heavier ride, to match the exact valving to the needs of your Hot Rod. Additionally, the aluminum body can be polished to a high luster to accent the looks of your Hot Rod. The ASB/SR Series shocks are available in a wide variety of mounting lengths and urethane end options.

- Adjustable from "Soft" to "Firm".
- Aluminum billet construction.
- Great shock from "T-Bucket" to "Lead Sled".
- Polished finish available by request.
- Must install with shaft pointing up to work properly.



Soft, Medium & Firm Adjustments.

SEE PAGE 31 FOR DYNO CHARTS.

HOW TO ORDER YOUR SHOCKS

To order the shock combination you want, construct your shock part number by following the example below. The shock series is the first designation, then the stroke length, body type, mount type and finally the optional polished finish and/or small body. An example part number for non-polished would be ASB/SR3AB. That same part number in a polished small body would be ASB/SR3ABPS as shown below.

SHOCK	STROKE	BODY TYPE	MOUNT	POLISHED	1-7/8"
SERIES	Length	(A=ALUM.)	TYPE	FINISH OPTION	COIL-OVER KIT
ASB/SR	3"	A	В*	Р	S

*MOUNT TYPE OPTIONS: B = 1/2" BEARING, B58 = 5/8" BEARING, U = 1/2" URETHANE, U58 = 5/8" URETHANE.


HOW TO CHOOSE YOUR SHOCK LENGTH

The instructions below are general in scope and cannot encompass every application. To determine the stroke length you need for your application:

 FRONT LENGTH
 REAR LENGTH

- **1** Set your vehicle at desired ride height.
- Measure from the center of the mount locations.
- Match your length at ride height to the table on the next page.





ASB/SR SERIES (ALUMINUM SMALL BODY)

3-POSITION REBOUND ADJUSTABLE COIL-OVER

HOW TO SPECIFY YOUR SHOCK

Using the compressed and extended lengths taken from existing shocks may not be the most accurate solution for your vehicle. Set the vehicle at the desired ride height and measure from the center of the upper shock mount to the center of the lower shock mount to determine the length of shock needed and determine your specific mounting configuration. This method of measuring shock lengths works in both coil-over and non-coil-over applications. If a measurement should fall between shock lengths, choose the shock that gives you the most compression travel. Refer to the diagram on page 24 to help determine the shock length for your application.

PART N	IUMBER					
NATURAL FINISH Non-Adjustable	POLISHED Non-Adjustable	STROKE Length	COMPRESSED / EXTENDED LENGTH	RIDE HEIGHT	RECOMMENDED SPRING HEIGHT	MOUNT TYPE
ASB/SR3AB	ASB/SR3ABP	3"	8.5" / 11.5"	10.5"	7"	1/2" BEARING
ASB/SR4AB	ASB/SR4ABP	4"	9.5" / 13.5"	11.5"	8"	1/2" BEARING
ASB/SR5AB	ASB/SR5ABP	5"	10.5" / 15.5"	13.5"	10"	1/2" BEARING
ASB/SR6AB	ASB/SR6ABP	6"	11.5" / 17.5"	15"	10", 12"	1/2" BEARING
ASB/SR3AU	ASB/SR3AUP	3"	8.5" / 11.5"	10.5"	7"	1/2" URETHANE
ASB/SR4AU	ASB/SR4AUP	4"	9.5" / 13.5"	11.5"	8"	1/2" URETHANE
ASB/SR5AU	ASB/SR5AUP	5"	10.5" / 15.5"	13.5"	10"	1/2" URETHANE
ASB/SR6AU	ASB/SR6AUP	6"	11.5" / 17.5"	15"	10", 12"	1/2" URETHANE
ASB/SR3AB58	ASB/SR3AB58P	3"	8.5" / 11.5"	10.5"	7"	5/8" BEARING
ASB/SR4AB58	ASB/SR4AB58P	4"	9.5" / 13.5"	11.5"	8"	5/8" BEARING
ASB/SR5AB58	ASB/SR5AB58P	5"	10.5" / 15.5"	13.5"	10"	5/8" BEARING
ASB/SR6AB58	ASB/SR6AB58P	6"	11.5" / 17.5"	15"	10", 12"	5/8" BEARING
ASB/SR3AU58	ASB/SR3AU58P	3"	8.5" / 11.5"	10.5"	7"	5/8" URETHANE
ASB/SR4AU58	ASB/SR4AU58P	4"	9.5" / 13.5"	11.5"	8"	5/8" URETHANE
ASB/SR5AU58	ASB/SR5AU58P	5"	10.5" / 15.5"	13.5"	10"	5/8" URETHANE
ASB/SR6AU58	ASB/SR6AU58P	6"	11.5" / 17.5"	15"	10", 12"	5/8" URETHANE

Add an S for 1-7/8" coil-over kit.

- SEE PAGE 24 FOR HELP WITH CHOOSING YOUR SHOCK LENGTH.

BUILD YOUR OWN SHOCK

To construct a shock to meet your specific needs, first choose your desired part number from the chart below and then choose the appropriate accessories from the parts shown. Note all part numbers for ordering, as you will be building your own shock. When ordering an accessory in a non-polished finish add -10.

PART NUMBER	STROKE LENGTH	COMP. / EXT. LENGTH	RIDE HEIGHT	PRICE
 ASB/SR3 *(P)	3"	8.5" / 11.5"	10.5"	\$135.99
ASB/SR4 *(P)	4"	9.5" / 13.5"	11.5"	\$135.99
ASB/SR5 *(P)	5"	10.5" / 15.5"	13.5"	\$135.99
ASB/SR6 *(P)	6"	11.5" / 17.5"	15"	\$135.99



25

SPRINGS (2-5/8" INNER DIAMETER) COIL-OVER SPRINGS



Rigorous testing and design have yielded what we believe to be the best looking and best performing chrome spring on the market. These springs will provide the strength, durability, and show stopping good looks you desire.

We completely polish these springs - inside and out - for 360° of highquality chrome finish. We set out to provide you with a spring that looked amazing on the outside and performed to exceed your expectations. We have achieved our goal with these chrome coil-over springs.

7" SPRINGS			8" SPRI	NGS
PART #	RATE		PART #	RATE
27300-1CR	300	-	28150-1CR	150
27350-1CR	350		28200-1CR	200
27400-1CR	400		28225-1CR	225
27450-1CR	450		28250-1CR	250
			28300-1CR	300
			28325-1CR	325
			28375-1CR	375
			28400-1CR	400
			28450-1CR	450
			28500-1CR	500

	10" SPRINGS				
PART #	RATE	PART #	RATE		
23115CR	115	23300CR	300		
23125CR	125	23325CR	325		
23140CR	140	23350CR	350		
23150CR	150	23375CR	375		
23165CR	165	23400CR	400		
23175CR	175	23425CR	425		
23200CR	200	23450CR	450		
23225CR	225	23500CR	500		
23250CR	250	23550CR	550		
23275CR	275	23600CR	600		

12" SPRINGS					
PART #	RATE	PART #	RATE		
22095CR	95	22250CR	250		
22110CR	110	22275CR	275		
22125CR	125	22300CR	300		
22150CR	150	22350CR	350		
22175CR	175	22375CR	375		
22185CR	185	22400CR	400		
22200CR	200	22500CR	500		
22225CR	225				
		-			

AVERAGE STREET ROD WEIGHTS

YEAR	CAR TYPE	FRONT WEIGHT	REAR WEIGHT
'27	FORD COUPE	1200	1300
'28-'31 FORD COUPE '32-'34 FORD COUPE		1350	1400
		1400	1600
'35-'38	FORD COUPE	1600	1700
'39-'40	FORD COUPE	1700	1800
'41-'48	FORD COUPE	1750	1700
'32-'38	CHEVROLET, PLYMOUTH & DODGE COUPE	1500	1550
'39-'40	'39-'40 CHEVROLET, PLYMOUTH & DODGE COUPE		1600
'41-'48 CHEVROLET, PLYMOUTH & DODGE COUPE		1700	1600
	OPTION	FRONT	REAR
		WEIGHT	WEIGHT
	4-DOOR SEDAN	WEIGHT 0	WEIGHT +125
	4-DOOR SEDAN SEDAN DELIVERY		
	1 50011025/11	0	+125
	SEDAN DELIVERY	0 +50	+125 +200
	SEDAN DELIVERY ROADSTER	0 +50 -50	+125 +200 -50
	SEDAN DELIVERY ROADSTER LESS FENDERS	0 +50 -50 -100	+125 +200 -50 -75
	SEDAN DELIVERY ROADSTER LESS FENDERS AIR CONDITIONING	0 +50 -50 -100 +75	+125 +200 -50 -75 +25

COIL-OVER SPRING RATES

FRONT					
INDEPENDENT	SUSPENSION	STRAIGHT AXLE			
CAR WEIGHT	SPRING RATE	CAR WEIGHT	SPRING RATE		
1350	350	1150	350		
1475	400	1350	400		
1550	450	1550	450		
1600	500	1600	500		
1750	550	1750	550		
	RE	AR			
INDEPENDENT SUSPENSION		STRAIGHT AXLE			
	303F ENSION	SINAIU			
CAR WEIGHT	SPRING RATE	CAR WEIGHT	SPRING RATE		
CAR WEIGHT	SPRING RATE	CAR WEIGHT	SPRING RATE		
CAR WEIGHT 1150	SPRING RATE 150	CAR WEIGHT	SPRING RATE 150		
CAR WEIGHT 1150 1350	SPRING RATE 150 175	CAR WEIGHT 1000 1150	SPRING RATE 150 175		
CAR WEIGHT 1150 1350 1450	SPRING RATE 150 175 200	CAR WEIGHT 1000 1150 1350	SPRING RATE 150 175 200		
CAR WEIGHT 1150 1350 1450 1550	SPRING RATE 150 175 200 225	CAR WEIGHT 1000 1150 1350 1550	SPRING RATE 150 175 200 225		

Inner Diameter: Chrome

Chrome C/O Springs: \$68.99_{Ea.}

SPRINGS (CHROME & BLACK) TAPERED SPRINGS

Tanarad Springs

PART NUMBER	FREE LENGTH	TOP I.D.	BOTTOM I.D.	RATE	PRICE
8SR375	8"	3-1/2"	2-1/2"	375	\$89.99
8SR500 10SR350	8"	3-1/2"	2-1/2"	500	\$89.99
10SR350	10"	3-1/2"	2-1/2"	350	\$89.99
10SR450	10"	3-1/2"	2-1/2"	450	\$89.99
10SR550	10"	3-1/2"	2-1/2"	550	\$89.99
10GM300	10"	4"	2-5/8"	300	\$89.99
10GM375	10"	4"	2-5/8"	375	\$89.99
10GM400	10"	4"	2-5/8"	400	\$89.99
10GM450	10"	4"	2-5/8"	450	\$89.99
10GM550	10"	4"	2-5/8"	550	\$89.99

PRO® SHOCKS VALVING OPTIONS INDEX

MONOTUBE GAS SERIES

G & GC SERIES VALVE OPTIONS

ADJUSTABLE COMPRESSION RANGE 4 THROUGH 6, 5 THROUGH 7 ADJUSTABLE REBOUND RANGE 2 THROUGH 5.5, 3 THROUGH 6, 4 THROUGH 7

TWIN TUBE SERIES

A1 & ACF1 SERIES VALVE OPTIONS

ADJUSTABLE3 THROUGH 6, 4 THROUGH 7, 6 THROUGH 9,REBOUND RANGE8 THROUGH 10, 10 THROUGH 12, 12 THROUGH 14

A2 & ACF2 SERIES VALVE OPTIONS

ADJUSTABLE REBOUND RANGE 3 THROUGH 7, 6 THROUGH 11, 8 THROUGH 12, 10 THROUGH 14

A X & ACF X-SERIES VALVE OPTIONS

NON-ADJUSTABLE COMPRESSION VALVE

2,3,4,4.5,5,5.5,6,6.5,7,8,9

NON-ADJUSTABLE REBOUND VALVE 2,3,4,4.5,5,5.5,6,6T,6.5,7,7.5,8,9, 10,11,12,13,14

TWIN TUBE SERIES

A & AC SERIES VALVE OPTIONS

NON-ADJUSTABLE Compression Valve	0.5, 1, 2, 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9
Non-Adjustable	0.5, 1, 2, 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9,
Rebound valve	9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13, 13.5, 14

ASB SERIES VALVE OPTIONS

NON-ADJUSTABLE Compression valve	0.5, 1, 2, 3, 4, 4.5, 5, 5.5, 6, 6.5, 7
NON-ADJUSTABLE Rebound valve	0.5, 1, 2, 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8

TA SERIES VALVE OPTIONS

NON-ADJUSTABLE COMPRESSION VALVE	1, 2, 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9
NON-ADJUSTABLE	0.5, 1, 2, 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9,
REBOUND VALVE	9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13, 13.5, 14

SHOCK ACCESSORIES

SHOCK ACCESSORIES



DESCRIPTION	PART #
PRESSURE GAUGE - ALUMINUM	GAUGE

	PART #	PRICE
ALUMINUM	GAUGE	\$83.99



.....

DESCRIPTION	PART #	PRICE
ALUMINUM ROD END - 9/16"	B200A	\$31.99
ALUMINUM ROD END - 1/2"	B275	\$31.99



DESCRIPTION	PART #	PRICE
SNAP RING - PG, NEW TA C/O	C305PG	\$5.99
SNAP RING - SB COIL-OVER	C379	\$4.99
SPRING RETAINER CLIP - NEW STYLE	10243SR	\$6.99



DESCRIPTION	PART #	PRICE
1/2" BEARING - STEEL/STEEL	B210SS	\$17.99
BEARING CLIP	B211	\$3.49
REPLACEMENT 1/2" BEARING AND CLIP FOR NEW BODY WITH DOT ABOVE BEARING POSITION	1000	\$21.99



DESCRIPTION	PART #	PRICE
"DIAPER PIN" - BB	10157	\$10.99
"DIAPER PIN" - SB	C323	\$5.49



.....

DESCRIPTION	PART #	PRICE
BUMP CUP	11000071610	\$69.99
BUMP CUP-BIG BODY	11000071611	\$69.99
BUMP CUP-BIG BODY	11000071611	\$69.99





DESCRIPTION PART # SPANNER WRENCH 7902

PRICE

\$13.99





DESCRIPTION	PART #	PRICE
NEW STYLE ROD END - 9/16"	B212	\$31.99
NEW STYLE 1" EXTENDED ROD END - 9/16"	B212-1	\$31.99
*For coil-over shocks.		



DESCRIPTION	PART #	PRICE
GM BAR PIN ASSEMBLY - 9/16"	S512/514	\$15.99
GM BAR PIN ASSEMBLY - 1/2"	S577	\$13.99



.....

DESCRIPTION	PART #	PRICE
RUBBER EYERING ASSEMBLY - 9/16"	S500	\$15.99
1/2" SLEEVE - 1/2"	S501	\$4.99
RUBBER EYERING ASSEMBLY - 1/2"	S575	\$13.99

	ŵæ	
-	Qн.,	

DESCRIPTION	PART #	PRICE
STUD MOUNT ASSEMBLY - 9/16"	S506	\$15.99
STUD MOUNT ASSEMBLY - 1/2"	S576	\$15.99

PRICE

\$17.99




DESCRIPTION	PART #
STEEL ROD END - 9/16"	WB200

MONOTUBE GAS SERIES UMINUM SMAL G, GC SERIES SINGLE ADJUSTABLE SHOCKS

SEE PAGES 12-13 FOR G, GC SERIES SHOCKS.

LINEAR-LINEAR PISTON





DIGRESSIVE-DIGRESSIVE PISTON


-150


0.00

1.0

2.0

-180.3





3.0

Velocity (in/sec)

COMPRESSION ADJUSTABLE (DIGRESSIVE-DIGRESSIVE PISTON)

CONNECT WITH PRO® www.PROshocks.com 855-682-4404 (COM)


4.0

5.0

6.0 6.25

PRO® TWIN SERIES (ALUMINUM BIG BODY) A1, ACF1 SERIES SINGLE ADJUSTABLE

< SEE PAGES 8-9 FOR A1, ACF1 SERIES SHOCKS.



-2 rot


25

-25 -50 -75 -100 -125 -150


-400 -425 -450 -475 -500


-525 -

(g) -175 -200 -225 -250 -275 -300 -325 -350 -375 -400



REBOUND ADJUSTABLE RANGES (10-12 & 12-14)








REBOUND ADJUSTABLE (8-10)

Velocity (in/sec)

PRO[®] TWIN SERIES (ALUMINUM BIG BODY) A2, ACF2 SERIES DOUBLE REBOUND ADJUSTABLE








ASB/SR SERIES (ALUMINUM SMALL BODY) STABLE COLL-OVER

3-POSITION REBOUND ADJUSTABLE COIL-OVER



Visit us online at PROShocks.com for more great products from PRO Shocks!

At PRO Shocks, winning is everything. Building the best parts, providing industry leading technology, great customer service and quick shipping is what you can expect when you log onto PROShocks.com.



