



WHO WE ARE PRO® Shocks is a manufacturing company that has been building shocks, servicing our customers and delivering championships for over 30 years. The key to our success is attention to detail. Our shocks are carefully built to strict tolerances to ensure maximum value and performance. We back up our suspension components with talented sales, tech and customer service personnel to ensure you receive the product you want, the answers you need and the support you demand.



O PREMIER DESIGN & ENGINEERING

Our great products start with the best design and engineering people. Our engineering team is one of the most experienced in the industry. PRO® Shocks products are known for reliability, performance, value and innovation. Before we ever release the first iteration of a new product, we use a combination of: vehicle data collection tools, 3-D design software, extensive CAD modeling, finite element analysis testing, laboratory testing and extensive field trials to make sure you are getting the best product for your money. We spend countless hours on the road testing and refining our products at the tracks with our customers so you can be sure our products will work as advertised every time!



We have built a winning reputation by manufacturing and building quality suspension components for over 3 decades. Producing shocks that win on all levels starts with a comprehensive knowledge of chassis dynamics. From there, stringent tolerances are held during the assembly and dyno process so that the finished product performs better than expected. At PRO® Shocks, winning is something we enjoy doing every day. Success starts with attention to detail and ends with you.



The PRO® Shocks reputation for building winning racing and performance shocks begins with the company's comprehensive knowledge of chassis dynamics. The proven performance that makes PRO® Shocks suspension systems famous for quality comes from a precision manufacturing environment.





UNRIVALED CUSTOMER SERVICE & TRAINING

Building a program that has been an industry leader for over 30 years starts with great people. The sales, tech and customer support team is made up of dedicated, race oriented professionals who understand the industry, the need to get it right and the desire to serve. Our goal is to offer excellent service.



The PRO® Shocks advantage is available in thousands of products for a wide range of applications. The common thread that ties all PRO® Shocks products together is performance. PRO® Shocks products are built to perform because we like to win! Manufacturing a second place product just doesn't interest us. Our unrelenting passion to be the best is the reason professional racers have relied on PRO® Shocks products for over 30 years!



TRACK SIDE SERVICE PRO® Shocks strives to provide you with the best products and service in the industry. As part of our service-oriented philosophy we have three track service vehicles staffed with shock technicians to visit racetracks around the country. From our 40' Renegade Shock Service Truck, 38' Gold Rush Gooseneck Shock Service Trailer and our new Shock Service Sprinter Van, we are able to repair and revalve PRO® Shocks for our customers on the spot.





This service not only provides a convenience in time and freight savings for our customers, but also keeps our techs on the cutting-edge of the latest trends. Our shock service vehicles travel with a knowledgeable staff of technicians, shock dynos, repair/revalve parts and a spring load rater to help you make those crucial coil-over bumpstop and spring changes. Look for one of our mobile shock service vehicles at a track near you!

VISIT US ONLINE AT PROSHOCKS.COM

- FIND A REBUILDER SHOP THE ONLINE STORE
- WATCH TUTORIALS PLACE AN ORDER





LIMITED WARRANTY

AFCO Performance Group will repair or replace any products found upon our inspection to be defective in workmanship or material within 12 months from date of purchase for the original purchaser. Except for the limited warranty set forth herein, AFCO Performance Group makes no warranties either expressed or implied, written or oral, with regard to the products including, without limitation, any warranty of merchantability or fitness for a particular purpose. In no event shall AFCO Performance Group be liable for any special, incidental or consequential damages, or any other damages whatsoever arising out of or connected with the use or misuse of the products. Purchasers acknowledge and agree that no person, entity or agent of AFCO Performance Group has any authority to make any statement contrary to this disclaimer and that any warranty statements or representations allegedly made on behalf of AFCO Performance Group by any such person, entity or agent are void. AFCO Performance Group products are not D.O.T. approved or intended for street use. Purchasers are relying solely on their own skill and judgment to select, purchase and use suitable products and assume all responsibility and risk with regard thereto.

© Copyright 2022 AFCO Performance Group • Printed in the U.S.A.

This catalog may not, in whole or in part, be copied, photocopied, reproduced, or converted to any electronic or machine-readable form without written consent of AFCO Performance Group.

OPEN WHEEL

SMALL BODY BULB ADJUSTABLE GAS

G/GC SERIES PAGE 18-19



5" (GC ONLY)

6"

8" (G ONLY)

NON-ADJUSTABLE

4-WAY

TRIPLE ADJUSTABLE

DOUBLE ADJUSTABLE

SINGLE ADJUSTABLE

18.68"

20.68"

22.68"

12.68"

13.68"

14.68"

SMALL BODY NON-ADJUSTABLE

ASB SERIES
PAGE 22-23



	A.233.M.222		
STROKE	BODY O.D.	COMPRESSED	EXTENDED
5"	1.63"	10.5"	15.5"
6"	1.63"	11.5"	17.5"
7"	1.63"	12.5"	19.5"
8"	1.63"	13.5"	21.5"

1.63"

1.63"

1.63"

OPEN WHEEL, ASPHALT LATE MODEL, ROAD RACE

BIG BODY 4-WAY ADJUSTABLE

ACF4 SERIES PAGE 8-9



BODY O.D.	COMPRESSED	EXTENDED
2"	12.125"	17.75"
2"	13.125"	19.75"
2"	14.125"	21.75"
2"	15.125"	23.75"
	2" 2" 2"	2" 12.125" 2" 13.125" 2" 14.125"

OPEN WHEEL, ASPHALT MODIFIED, ASPHALT LATE MODEL, DIRT LATE MODEL

BIG BODY ADJUSTABLE

ACF3 SERIES

PAGE 10-11



STROKE	BODY O.D.	COMPRESSED	EXTENDED
5"	2"	11.75"	16.25"
6"	2"	12.75"	18.25"
7"	2"	13.75"	20.25"
8"	2"	14.75"	22.25"
9"	2"	15.75"	24.25"

BIG BODY ADJUSTABLE

A2/ACF2 SERIES

PAGE 12-13

(D)	
9	

STROKE	BODY O.D.	COMPRESSED	EXTENDED
5"	2"	11.125"	16.625"
6"	2"	12.125"	18.625"
7"	2"	13.125"	20.625"
8"	2"	14.125"	22.625"
Q"	2"	15 125"	24 625"

BIG BODY ADJUSTABLE

A1/ACF1 SERIES

PAGE 14-15



STROKE	BODY O.D.	COMPRESSED	EXTENDED
5"	2"	11.25"	15.75"
6"	2"	12.25"	17.75"
7"	2"	13.25"	19.75"
8"	2"	14.25"	21.75"
9"	2"	15.25"	23.75"

OPEN WHEEL, ASPHALT MODIFIED, ASPHALT LATE MODEL, DIRT LATE MODEL

NON-ADJUSTABLE

STROKE	BODY O.D.	COMPRESSED	EXTENDED
5" (ACF ONLY)	2"	10.5"	15.5"
6" (A ONLY)	2"	11.5"	17.5"
7"	2"	12.5"	19.5"
8"	2"	13.5"	21.5"
9"	2"	14.5"	23.5"



BIG BODY NON-ADJUSTABLE A X/ACF X **SERIES** PAGE 16-17

NON-ADJUSTABLE

STROKE	BODY O.D.	COMPRESSED	EXTENDED
5" (AC ONLY)	2"	10.5"	15.5"
6"	2"	11.5"	17.5"
7"	2"	12.5"	19.5"
8"	2"	13.5"	21.5"
9"	2"	14.5"	23.5"



BIG BODY NON-ADJUSTABLE A/AC **SERIES** PAGE 20-21

OPEN WHEEL MODIFIED

NON-ADJUSTABLE

STROKE	BODY O.D.	COMPRESSED	EXTENDED
7"	2"	12.5"	19.5"
9"	2"	14.5"	23.5"



STEEL BIG BODY NON-ADJUSTABLE WB SERIES PAGE 24-25

NON-ADJUSTABLE

STROKE	BODY O.D.	COMPRESSED	EXTENDED
4"	2"	9.5"	13.5"
5"	2"	10.5"	15.5"
6"	2"	11.5"	17.5"
7"	2"	12.5"	19.5"
8"	2"	13.5"	21.5"
9"	2"	14.5"	23.5"



STEEL BIG BODY **NON-ADJUSTABLE TAKE APART**

TA SERIES PAGE 26-27

NON-ADJUSTABLE

STROKE	BODY O.D.	COMPRESSED	EXTENDED
4"	1.63"	9.5"	13.5"
5"	1.63"	10.5"	15.5"
6"	1.63"	11.5"	17.5"
7"	1 63"	12.5"	19.5"



STEEL SMALL BODY NON-ADJUSTABLE TAKE APART

TASB SERIES

PAGE 27

OVAL TRACK COIL-OVER KITS

ACF, AC, ASB, TA, TASB, WB SERIES

PAGE 30-31











SPORTMOD / STREET STOCK

STEEL BIG BODY STOCK MOUNT TAKE APART REBUILDABLE

TASS SERIES

PAGE 28



APPLICATION	BODY O.D.	FRONT	REAR
GM MID-SIZE / METRIC CHASSIS	2"	TASS1004XX	TASS2018XX
'70-'81 CAMARO / FIREBIRD	2"	TASS1004XX	TASS2008XX
GM FULL SIZE	2"	TASS1005XX	TASS2018XX
FORD FULL SIZE / MID-SIZE	2"	TASS1005X	TASS4008XX
'74-'78 FORD MUSTANG II	2"	TASS3004XX	TASS4025XX
'71-'80 PINTO (EXCEPT SW)	2"	TASS3004XX	TASS4015XX

STEEL BIG BODY NON-REBUILDABLE

WB SERIES

PAGE 24-25



STR0KE	BODY O.D.	COMPRESSED	EXTENDED
7"	2"	12.5"	19.5"
9"	2"	14.5"	23.5"

STREET RODS

ALUMINUM SMALL BODY

ASB/SR SERIES

PAGE 32-33



STROKE	BODY O.D.	RIDE HEIGHT	MOUNTING TYPE
3"	1.63"	10.5"	URETHANE OR BEARING
4"	1.63"	11.5"	URETHANE OR BEARING
5"	1.63"	13.5"	URETHANE OR BEARING
6"	1.63"	15"	URETHANE OR BEARING

BUILD YOUR OWN ASB/SR SERIES

Construct a shock to meet your specific needs.

PAGE 33



Choose from a selection of part numbers to modify. Pick your components and accessories to build a unique shock.

PART NUMBER	BODY O.D.	RIDE HEIGHT	COMPRESSED	EXTENDED	END TYPE
SM400	1.63"	10"	8"	12.1"	STUD/EYE
SM500	1.63"	12"	9.5"	14.5"	EYE/EYE



STEEL SMALL BODY


SM SERIES

PAGE 38

STREET PERFORMANCE

ALUMINUM SMALL BODY





MUSTANG II SERIES

> PAGE 36-37 **SPRINGS SOLD SEPARATELY**

STROKE	BODY O.D.	FRONT Coil Over	REAR SHOCK
BUICK	1.63"	YES	YES
CHEVROLET	1.63"	YES	YES
OLDSMOBILE	1.63"	YES	YES
PONTIAC	1.63"	YES	YES



GM COIL-OVER STEEL SMALL BODY C200 SERIES PAGE 34-35

SPRINGS AND ACCESSORIES

CHROME & BLACK TAPERED SPRINGS

PAGE 34, 37



CHROME SPRINGS

PAGE 39



SHOCK ACCESSORIES

PAGE 40







PRO® 4-WAY SERIES

(ALUMINUM BIG BODY WITH GAS CANISTER)

ACF4 SERIES 4-WAY ADJUSTABLE



The engineers at PR0°Shocks designed the new 4-way series with performance and function in mind. The shock features the same traction enhancing technology found in all PR0°Shocks, but is fully high and low speed adjustable on both compression and rebound. Consistency is enhanced by the recirculating, single circuit valve design. Unlike other adjustable shocks, the hysteresis is minimized and remains low regardless of the adjustment position or range. This allows a wide adjustment range without sacrificing performance. The shock is designed to fit many existing applications. The compressed and extended lengths are in line with industry standards and the adjustable eyelet and canister position allows for maximum mounting clearance. This series is ideal for sprint cars and pavement late models.









- Fully independent high and low speed adjustments for both compression and rebound.
- All adjustments affect the pressure drop across the main piston, eliminating the need for a base valve.
- Single-circuit, recirculating design allows for large adjustment range with extremely low hysteresis.
- Solid main piston allows for reduced gas charge pressure without the risk of cavitation.
- Nitrogen bladder design enhances response and reduces stiction-induced hysteresis.
- Universal mounting design has 32 different options.
 - 8 position, indexable gas canister.
 - 4 position, indexable body eyelet.
- Compact compressed and extended lengths comparable to most standard shock lengths on the market.
- Custom tuning to meet the racer's needs.



C357 COMPLETE 2.5" TAPERED COIL-OVER KIT - \$64.99





PRO® 4-WAY SERIES

(ALUMINUM BIG BODY WITH GAS CAN


ACF4 SERIES 4-WAY ADJUSTABLE

BIG WINS WITH THE PRO°4-WAY SERIES









(ALUMINUM BIG BODY)

ACF3 SERIES TRIPLE ADJUSTABLE



ACF3 Series
Triple Adjustable:
\$629.99_F2

Incorporating the newest technology developed in our A2/ACF2 Series Double Rebound Adjustable Shock, the engineers at PRO° Shocks created a triple adjustable racing shock. The new ACF3 Series is a single compression double rebound adjustable shock. This shock gives you one more level on the competition to fine-tune your car for maximum speed. Using fluid recirculation, this shock has the ability to allow a wide range of adjustment while keeping hysteresis low, giving the ultimate in driver feel. Call PRO° Shocks to get the specific valving for your racing application.

- Single compression adjustable and double rebound adjustable.
- 32 clicks of low speed rebound adjustment and 40 clicks of high speed rebound adjustment for ultimate tuning.
- Fluid recirculation system to balance internal pressures and give the ultimate in driver feel.
- Extremely low hysteresis with a wide adjustment range.

> SEE PAGE 45 FOR VALVE CODE OPTIONS AND PAGES 43 AND 44 FOR DYNO CHARTS.



ACF3 SERIES TRIPLE ADJUSTABLE

HOW TO SPECIFY YOUR SHOCK

To order the shock combination you want, construct your shock part number by following the example below. The shock series is the first designation, then the stroke length number. Next, choose the compression valving range and then the adjustable rebound valving range. See example below.

ACF3 Series Triple Adjustable: 629.99_{Ea.}

	SHOCK SERIES	+ STROKE LENGTH	+	ADJ. COMPRESSION VALVING RANGE	+	ADJ. REBOUND Valving Ranges	=	PART Number	
EXAMPLE:	ACF3	7"		3-7		6-11		ACF3737/611	

POSSIBLE COMBINATIONS								
SHOCK STROKE COMPRESSION REBOUND SERIES OPTIONS VALVING RANGE VALVING RANGES								
ACF3	5", 6", 7", or 8"	3-7	3-7, 6-11, 8-12, 10-14					

CUSTOM VALVING OPTIONS AVAILABLE

C356 COMPLETE 2.5" FLAT COIL-OVER KIT - \$64.99


NEW AND IMPROVED SEAT RETENTION SYSTEM!

-Requires New B213 or B213-1 Billet Rod End.



C357 COMPLETE 2.5" TAPERED COIL-OVER KIT - \$64.99





- High quality billet rod end.
- Accommodates new and improved seat retention system.



B213-1



B213

ALUMINUM BIG BODY)

A2 SERIES DOUBLE ADJUSTABLE



12

A2 Series
Double Adjustable:
\$549.99_c

Keeping the drive to stay on top of the shock world, the engineers at PRO® Shocks have designed a double rebound adjustable shock. The A2/ACF2 Series offers independent high and low speed adjustability. By having a low speed adjuster through the rod end, the user is given the ability to make easier and faster valve changes. By separating the high and low speed in the system, the A2/ACF2 shock gives multiple rebound valving options while maintaining little to no hysteresis. With the adjustment range in the shock, the racer is able to fine-tune their car to maximum speed. Each shock will come serial numbered and dyno tested to ensure optimum performance and driver feel. Call PRO® Shocks to get the specific valving for your racing application.

- Independent high and low speed rebound adjustability.
- Large range of rebound options with little to no hysteresis.
- 32 clicks of low speed adjustment and 40 clicks of high speed adjustment for ultimate tuning.
- Steel billet piston design for internal sealing and endurance.
- Fluid recirculation system to balance internal pressures and give the ultimate in driver feel.



ACF2 SERIES DOUBLE ADJUSTABLE

HOW TO SPECIFY YOUR SHOCK

To order the shock combination you want, construct your shock part number by following the example below. The shock series is the first designation, then the stroke length number. Next, choose the compression valving range and then the adjustable rebound valving range. See example below.

ACF2 Series Double Adjustable: **549**,99_{Ea.}

	SHOCK Series	STROKE Length	+ COMPRESSION VALVING OPTION	+	ADJ. REBOUND Valving ranges	=	PART Number	
EXAMPL	E: A2 or ACF2	7"	5		8-12		ACF2758-12	

	POSSIBLE COMBINATIONS							
SHOCK STROKE COMPRESSION REBOUND SERIES OPTIONS VALVING OPTIONS VALVING RANGES								
A2 or ACF2	5", 6", 7", 8" or 9"	0.5 to 9	3-7, 6-11, 8-12, 10-14					

CUSTOM VALVING OPTIONS AVAILABLE

C356 COMPLETE 2.5" FLAT COIL-OVER KIT - \$64.99

NEW AND IMPROVED SEAT RETENTION SYSTEM!

-Requires New B213 or B213-1 Billet Rod End.



C357 COMPLETE 2.5" TAPERED COIL-OVER KIT - \$64.99



-Requires New B213 or B213-1 Billet Rod End.



BILLET ROD ENDS B213 - \$89.99 / B213-1 - \$99.99

- High quality billet rod end.
- Accommodates new and improved seat retention system.







(ALUMINUM BIG BODY)

A1 SERIES SINGLE ADJUSTABLE



A1 Series Single Adjustable: \$375.99 The A1/ACF1 Single Adjustable Series has been designed based off of driver input and on-track performance. Through racing applications and in-house dyno evaluation, PRO® has developed the ultimate rebound adjustable shock. Each aluminum PRO® Twin Tube Shock is carefully hand-built and comes with a serial numbered dyno graph for reference setting. PRO® Shocks carries all of the popular valve combinations and custom valving options are available. Call PRO® Shocks for details.

- Valve body with 32 clicks of adjustment for fine-tuning.
- Low speed adjustable for the ultimate in driver feel.
- Steel billet piston design for internal sealing and endurance.
- Low friction steel bearing rotates freely and withstands high temperatures.

> SEE PAGE 45 FOR VALVE CODE OPTIONS AND PAGE 42 FOR DYNO CHARTS.

Matt Hirschman

One of the control o

ACF1 SERIES SINGLE ADJUSTABLE

HOW TO SPECIFY YOUR SHOCK

To order the shock combination you want, construct your shock part number by following the example below. The shock series is the first designation, then the stroke length number. Next, choose the compression valving number and then the adjustable rebound valving range. See example below.

	SHOCK Series	+ STROKE LENGTH	+ COMPRESSION VALVING OPTION	+	ADJ. REBOUND Valving Ranges	=	PART Number	
Ī	EXAMPLE: A1 or ACF1	6"	8		4-7		ACF1684-7	

ACF1 Series Single Adjustable: \$**375**.99_{Fa.}

	POSSIBLE COMBINATIONS								
SHOCK STROKE COMPRESSION REBOUND SERIES OPTIONS VALVING OPTIONS VALVING RANGES									
A1 or ACF1	5", 6", 7", 8" or 9"	0.5 to 9	3-6, 4-7, 6-9, 8-10, 10-12, 12-14						

CUSTOM VALVING OPTIONS AVAILABLE

C352 COMPLETE 2.5" FLAT COIL-OVER KIT - \$64.99

NEW AND IMPROVED SEAT RETENTION SYSTEM!

-Requires New B212 or B212-1 Billet Rod End.



C353 COMPLETE 2.5" TAPERED COIL-OVER KIT - \$64.99



NEW AND IMPROVED SEAT RETENTION SYSTEM!

-Requires New B212 or B212-1 Billet Rod End.

B212 AND B212-1 BILLET ROD ENDS - \$29.99

- High quality billet rod end.
- Accommodates new and improved seat retention system.



B212-1

GOO



(ALUMINUM BIG BODY)

A X-SERIES NON-ADJUSTABLE



ACF X-SERIES NON-ADJUSTABLE

HOW TO SPECIFY YOUR SHOCK

To order the shock combination you want, construct your shock part number by following the example below. The shock series is the first designation, then the stroke length number. Next, choose the compression valving number and then the rebound valving number. See example below.

ACF X-Series Non-Adjustable:

	SHOCK SERIES	+ STROKE LENGTH	+	COMPRESSION VALVING OPTIONS	+	REBOUND Valving options	+	Х	=	PART Number
EXAMPLE:	A or ACF	6"		3		0		Χ		A630X

	POSSIBLE COMBINATIONS									
SHOCK SERIES										
А	6", 7", 8" or 9"	1 to 9	1 to 14	Х						
ACF	5", 6", 7", 8" or 9"	1 to 9	1 to 14	X						

CUSTOM VALVING OPTIONS AVAILABLE - SEE PAGE 45 FOR VALVE CODE OPTIONS.

C352 COMPLETE 2.5" FLAT COIL-OVER KIT - \$64.99

NEW AND IMPROVED SEAT RETENTION SYSTEM!

-Requires New B212B or A550010036B 1" Extended Billet Rod End.



C353 COMPLETE 2.5" TAPERED COIL-OVER KIT - \$64.99



NEW AND IMPROVED SEAT RETENTION SYSTEM!


-Requires New B212B or A550010036B 1" Extended Billet Rod End.











- High quality billet rod end.
- Accommodates new and improved seat retention system.

B212B

A550010036B

MONOTUBE GAS SERIES

(ALUMINUM SMALL BODY)

G SERIES SINGLE ADJUSTABLE



G Series
Single Adjustable: 499.99_{Fa}

PRO® Shocks is proud to offer the G-Series Small Body Monotube Gas Sprint Car Shocks. The G-Series Shocks feature the latest in Monotube shock technology, along with many other improvements, utilizing over 30 years of Sprint Car shock development knowledge. The internal components of the shock feature a three-piece piston and base valve designed to balance internal pressures. This winning technology yields the industry's best hysteresis levels for maximum traction and driver feel in a lightweight, gas shock package.

- Balanced internal pressures through extensive research and development.
- Newly designed piston and base valve for optimized hysteresis.
- One of the lightest shocks on the market.
- Double-Digressive and Linear-Linear piston options.
- Base valve with tuner-friendly deflective disc technology.
- Available in compression or rebound adjustable.

> SEE PAGE 45 FOR VALVE CODE OPTIONS AND PAGE 41 FOR DYNO CHARTS.



MONOTUBE GAS SERIES

GC Series

GC SERIES SINGLE ADJUSTABLE

HOW TO ORDER YOUR G or GC SERIES SINGLE ADJUSTABLE SHOCKS

To order the shock combination you want, construct your shock part number by following the examples below. The shock series is the first designation, then the stroke length number. Next, choose the compression valving number and then the rebound valving number. See examples below.

REBOUND ADJUSTABLE EXAMPLE

SHOCK SERIES	+ STROKE LENGTH	+ COMPRESSION +	REBOUND ADJ NUMBER	+ DIGRESSIVE/LINEAR PISTON (D/L)	EXAMPLE PART NUMBER
G	6" - 8"	2 to 7	2-5.5, 3-6, 4-7	D	G64-36D
GC	5" - 7"	2 to 7	2-5.5, 3-6, 4-7	D	GC54-36D

COMPRESSION ADJUSTABLE EXAMPLE

SHOCK SERIES	+ STROKE + LENGTH +	COMPRESSION ADJ NUMBER	+ REBOUND + NUMBER	+ DIGRESSIVE/LINEAR PISTON (D/L)	EXAMPLE PART NUMBER
G	6" - 8"	4-6, 5-7	2 to 7	D	G846-4D
GC	5" - 7"	4-6, 5-7	2 to 7	D	GC546-4D

G or GC SERIES SINGLE ADJ. CUSTOM BUILD SHOCKS

G or GC Series Rebound Adjustable Custom Build GC5ARD, G(or GC)6ARD, G(or GC)7ARD, G8ARD

G or GC Series Compression Adjustable Custom Build

GC5ACD, G(or GC)6ACD, G(or GC)7ACD, G8ACD

GC SERIES C332 COIL-OVER KIT - \$64.99



G and GC SERIES SHOCK ACCESSORIES

Gas Pressure Gauge, Part #GAUGE - \$79.99	-
Double Digressive Piston Assembly, Part #1100006445 - \$84.99	
Linear Piston, Part #110000650 - \$54.99	
Linear Piston Plate - High Flow, Part #1100006443 - \$34.99	0
Bump Cup, Part #11000071610 - \$64.99	(2)
1" Extended Rod End, Part #11000024144 - \$94.99	
Bumpstop 58mm Soft Red, Part #223527 - \$32.99	
Bumpstop 58mm Medium Natural, Part #223533 - \$32.99	
Bumpstop 58mm Hard Blue, Part #223539 - \$32.99	
Remote Adapter Kit, Part #550040022 - \$16.99	





(ALUMINUM BIG BODY)

A SERIES NON-ADJUSTABLE



AC SERIES NON-ADJUSTABLE

HOW TO SPECIFY YOUR SHOCK

To order the shock combination you want, construct your shock part number by following the example below. The shock series is the first designation, then the stroke length number. Next, choose the compression valving number and then the rebound valving number. See example below.

	SHOCK SERIES	+ STROKE LENGTH	+ COMPRESSION VALVING OPTIONS	+	REBOUND Valving options	+	В	=	PART Number
EXAMPLE:	A or AC	6"	3		0		В		A630B

AC Series Non-Adjustable: **24**,99_{Ea.}

	POSSIBLE COMBINATIONS									
SHOCK SERIES	STROKE OPTIONS	COMPRESSION VALVING OPTIONS	REBOUND VALVING OPTIONS	BEARING DESIGNATION						
A	6", 7", 8" or 9"	0.5 to 9	0.5 to 14	В						
AC	5", 6", 7", 8" or 9"	0.5 to 9	0.5 to 14	В						

CUSTOM VALVING OPTIONS AVAILABLE - SEE PAGE 45 FOR VALVE CODE OPTIONS.

STANDARD C320 COMPLETE 2.5" COIL-OVER KIT - \$59.99

2.5" TAPERED COIL-OVER KIT FOR USE WITH STANDARD **B200 ROD END!**



See pages 30-31 for Oval Track Accessories.

C349 AND C350 COMPLETE 2.5" COIL-OVER KITS - \$64.99 NEW AND IMPROVED SEAT NEW AND IMPROVED SEAT **RETENTION SYSTEM! RETENTION SYSTEM! G349 FLAT COIL-OVER KIT** TAPERED COIL-OVER -Requires New B212 or B212-1 Billet Rod End. -Requires New B212 or B212-1 Billet Rod End.

B212 AND B212-1 BILLET ROD ENDS - \$29.99

- High quality billet rod end.
- Accommodates new and improved seat retention system.





(ALUMINUM SMALL BODY)

ASB SERIES NON-ADJUSTABLE



PRO® TWIN SERIES (ALUMINUM SMALL BODY)

ASB SERIES NON-ADJUSTABLE

HOW TO SPECIFY YOUR NON-ADJUSTABLE SHOCK

To order the shock combination you want, construct your shock part number by following the example below. The shock series is the first designation, then the stroke length number. Next, choose the compression valving number and then the rebound valving number. See example below.

EXA	MPLE:	SHOCK Series	+	STROKE Length	+	COMPRESSION VALVING OPTIONS	+	REBOUND Valving options	+	BEARING Designation	=	PART Number
NON-	ADJ.	ASB		6"		3		3		В		ASB633B

POPULAR NON-ADJUSTABLE VALVING COMBINATIONS							
VALVING	6"STROKE	7" STROKE	8" STROKE				
3 VALVE	ASB630B	ASB730B	ASB830B				
3-5 VALVE	ASB635B	ASB735B	ASB835B				
4 VALVE	ASB640B	ASB740B	ASB840B				
4-6 VALVE	ASB646B	ASB746B	ASB846B				
5 VALVE	ASB650B	ASB750B	ASB850B				
5-1 VALVE	ASB651B	ASB751B	ASB851B				
5-2 VALVE	ASB652B	ASB752B	ASB852B				
5-3 VALVE	ASB653B	ASB753B	ASB853B				
5-4 VALVE	ASB654B	ASB754B	ASB854B				
5-7 VALVE	ASB657B	ASB757B	ASB857B				

CUSTOM VALVING OPTIONS AVAILABLE

ASB SERIES SMALL BODY THREADED



VISIT US ONLINE AT PROSHOCKS.COM

- FIND A REBUILDER
- WATCH TUTORIALS
- SHOP THE ONLINE STORE PLACE AN ORDER
- SIGN UP FOR OUR NEWSLETTER







WB SERIES (STEEL BIG BODY)

NEW

WB SERIES NON-ADJUSTABLE



WB Series: \$119.99_{Fa}

The newly redesigned PRO® WB Series Shocks feature a hardened 9/16" shaft with a non-removable rod end while still maintaining our superior, yet economical gas cell design. A snap ring groove has also been added to allow the use of a coil-over kit. These shocks are ideal for any type of racing that require a steel body non-rebuildable style shock.

- New hardened 9/16" shaft with non-removable rod end.
- Twin tube design for great driver feel.
- Available in a wide range of valve options tune your chassis for speed.
- Split valve options available for maximum traction.
- Great shock for both dirt and asphalt.

HOW TO SPECIFY YOUR SHOCK

To order the shock combination you want, construct your shock part number by following the example below. The shock series is the first designation, then the stroke length, compression valving, rebound valving, and black body WB Series designation. **An example part number would be WB735BK.**

SHOCK SERIES	STROKE LENGTH	COMPRESSION VALVING	REBOUND VALVING	BLACK BODY WB
WB	7	3	5	BK

• WB93BK
735BK WB935BK
B74BK WB94BK
8746BK WB946BK
7748BK •
7410BK •
7412BK •
7414BK •
B75BK WB95BK
7510BK •
3753BK WB953BK
B76BK WB96BK
9763BK •
B77BK •
• WB972BK
8791BK WB991BK

WB SERIES

WB SERIES NON-ADJUSTABLE

WB ACCESSORIES

2.5" SPRING COIL-OVER KIT

FOR BLACK BODY WB "WITH NON-REMOVABLE ROD END"

\$109.99 20125A-7



20133 20128 10242 20122-4 10157

INDIVIDUAL ACCESSORIES

SPRING SEAT ONLY

7" THREADED SLEEVE

ADJUSTER NUT ONLY









PART #

20134-7



PRICE

\$43.99

\$43.99

\$39.99











20132



5" SPRING COIL-OVER KIT

FOR BLACK BODY WB "WITH NON-REMOVABLE ROD END"

\$159.99 20125A-7K



20134-7











INDIVIDUAL ACCESSORIES	PART #	PRICE
SQUARE RING	20122-4	\$5.99
5" ADAPTER SPRING SEAT	20118	\$29.99
5" ADAPTER SPRING ADJUSTER NUT	20118-1X	\$69.99

> FOR BLACK BODY WB SERIES "WITH REMOVABLE ROD END" COIL-OVER KITS SEE PAGE 31.


FOR "GOLD BODY" WB SERIES COIL-OVER KITS SEE PAGE 31.



TAKE APART SERIES

(STEEL BIG BODY)

TA SERIES NON-ADJUSTABLE



TAKE APART SERIES

(STEEL BIG BODY / SMALL BODY)

TA, TASB SERIES NON-ADJUSTABLE

TA NON-ADJUSTABLE SMOOTH BIG BODY STEEL

HOW TO ORDER YOUR TA NON-ADJUSTABLE SHOCKS

To order the shock combination you want, construct your shock part number by following the example below. The shock series is the first designation, then the stroke length number. Next, choose the compression valving number and then the rebound valving number. See example below.

	SHOCK SERIES	+ STROKE LENGTH	+ COMPRESSION VALVING OPTIONS	+	REBOUND VALVING OPTIONS	EXAMPLE PART NUMBER
NON-ADJUSTABLE	TA	4" - 9"	1-9		0.5-14	TA717

	POPULAR NON-ADJUSTABLE VALVING COMBINATIONS												
VALVE	4" STROKE	5" STROKE	6" STROKE	7" STROKE	8" STROKE	9" STROKE	VALVE	4" STROKE	5" STROKE	6" STROKE	7" STROKE	8" STROKE	9" STROKE
3	TA430	TA530	TA630	TA730	TA830	TA930	5-4	TA454	TA554	TA654	TA754	TA854	TA954
3-5	TA435	TA535	TA635	TA735	TA835	TA935	5-7	TA457	TA557	TA657	TA757	TA857	TA957
4	TA440	TA540	TA640	TA740	TA840	TA940	6	TA460	TA560	TA660	TA760	TA860	TA960
4-6	TA446	TA546	TA646	TA746	TA846	TA946	6-3	TA463	TA563	TA663	TA763	TA863	TA963
5	TA450	TA550	TA650	TA750	TA850	TA950	6-4	TA464	TA564	TA664	TA764	TA864	TA964
5-1	TA451	TA551	TA651	TA751	TA851	TA951	7	TA470	TA570	TA670	TA770	TA870	TA970
5-2	TA452	TA552	TA652	TA752	TA852	TA952	8	TA480	TA580	TA680	TA780	TA880	TA980
5-3	TA453	TA553	TA653	TA753	TA853	TA953	9-1	TA491	TA591	TA691	TA791	TA891	TA991

REQUIRES
(2) WB200
ROD ENDS
SOLDS EPARATELY
\$16.99 each

CUSTOM VALVING OPTIONS AVAILABLE

TASB NON-ADJUSTABLE SMOOTH SMALL BODY STEEL

HOW TO ORDER YOUR TASB NON-ADJUSTABLE SHOCKS

To order the shock combination you want, construct your shock part number by following the example below. The shock series is the first designation, then the stroke length number. Next, choose the compression valving number and then the rebound valving number. See example below.

	SHOCK SERIES	+	STROKE LENGTH	+	COMPRESSION VALVING OPTIONS	+	REBOUND VALVING OPTIONS	EXAMPLE PART NUMBER
NON-ADJUSTABLE	TASB		4" - 7"		0.5 TO 7		0.5-8	TASB754

	POPULAR NON-ADJUSTABLE VALVING COMBINATIONS									
VALVING	4" STROKE	5"STROKE	6" STROKE	7" STROKE	V	/ALVING	4" STROKE	5"STROKE	6" STROKE	7" STROKE
1 VALVE	TASB410	TASB510	TASB610	TASB710		5-2 VALVE	TASB452	TASB552	TASB652	TASB752
2 VALVE	TASB420	TASB520	TASB620	TASB720		5-3 VALVE	TASB453	TASB553	TASB653	TASB753
3 VALVE	TASB430	TASB530	TASB630	TASB730		5-4 VALVE	TASB454	TASB554	TASB654	TASB754
3-5 VALVE	TASB435	TASB535	TASB635	TASB735		5-7 VALVE	TASB457	TASB557	TASB657	TASB757
4 VALVE	TASB440	TASB540	TASB640	TASB740		6 VALVE	TASB460	TASB560	TASB660	TASB760
4-6 VALVE	TASB446	TASB546	TASB646	TASB746		6-3 VALVE	TASB463	TASB563	TASB663	TASB763
5 VALVE	TASB450	TASB550	TASB650	TASB750		6-4 VALVE	TASB464	TASB564	TASB664	TASB764
5-1 VALVE	TASB451	TASB551	TASB651	TASB751	7	7 VALVE	TASB470	TASB570	TASB670	TASB770

CUSTOM VALVING OPTIONS AVAILABLE



TAKE APART SERIES

(STEEL BIG BODY / SMALL BODY)

TASS SERIES NON-ADJUSTABLE



PRO® offers a bold line of steel, stock mount, rebuildable and revalvable shocks targeted at any class with a stock mounting rule. No other shock offers the versatility of the PRO® TASS shock. Choose virtually any valving combination to fine-tune your chassis to lower lap times. From entry level street stocks to sport mods, the PRO® TASS Shock Series is the preferred shock for champions everywhere.

- Great for any series that requires a stock mount shock.
- Twin tube design for great driver feel.
- Take apart style shock enables repair and revalve work at factory.
- Almost any valving option is available to fine-tune your chassis.



> SEE PAGE 31 FOR TA SERIES COIL-OVER KITS.

HOW TO ORDER YOUR TASS SHOCKS

- 1. Locate your application/car type.
- 2. Select front or rear base part number.
- 3. Choose the desired compression valving (1 to 9) and add to base part number.
- 4. Choose the desired rebound valving (1 to 14) and add to number in step #3.

An example TASS part number would be TASS100494.



	BASE PART NUMBER	COMPRESSION VALVING	REBOUND VALVING	EXAMPLE Part Number
TASS (2" BODY)	TASS1004	1 TO 9	1 TO 14	TASS100494

CAR TYPE	FRONT	REAR
GM MID-SIZE / METRIC CHASSIS	TASS1004XX	TASS2018XX
'70-'81 CAMARO / FIREBIRD	TASS1004XX	TASS2008XX
GM FULL SIZE	TASS1005XX	TASS2018XX
FORD FULL SIZE / MID-SIZE	TASS1005X	TASS4008XX
'74-'78 FORD MUSTANG II	TASS3004XX	TASS4025XX
'71-'80 PINTO (EXCEPT SW)	TASS3004XX	TASS4015XX

CUSTOM VALVING OPTIONS AVAILABLE - SEE PAGE 45 FOR VALVE CODE OPTIONS.

REPLACEMENT ROD ENDS AND OTHER ACCESSORIES CAN BE FOUND ON PAGE 40.

FOLLOW US ONLINE FOR PRODUCT HIGHLIGHTS, TECH TIPS, & MORE...



VISIT US ONLINE AT PROSHOCKS.COM

- **FIND A REBUILDER**
- **SHOP THE ONLINE STORE**
- **WATCH TUTORIALS**
- PLACE AN ORDER

SCAN THIS OR CODE TO DOWNLOAD A DIGITAL COPY OF OUR NEWEST CATALOG!

PROSHOCKS.COM/CATALOG





FOLLOW US ON SOCIAL MEDIA

For the latest news from PRO® Shocks on new product development, tech tips, race results, how-to videos, product videos, and industry news, find us online.

- facebook.com/PROshocks
 - twitter.com/afcoproshocks
- youtube.com/PROshocksTV
- instagram.com/afcoproshocks



OVAL TRACK ACCESSORIES

ACF4, ACF3, ACF2 SERIES ACCESSORIES

C357 COMPLETE 2.5" TAPERED COIL-OVER KIT - \$64.99



C356 COMPLETE 2.5" FLAT COIL-OVER KIT - \$64.99



INDIVIDUAL ACCESSORIES	PART #	PRICE
2.5" TAPERED UPPER SPRING SEAT - BLACK	20130B	\$29.99
2.5" FLAT UPPER SPRING SEAT - BLACK	20128DB	\$35.19
C/O NUT, 2-1/8"-10 THREAD BLACK	C354	\$46.99
UPPER SPRING SEAT CLIP RETAINER	10243SR	\$5.99

ACF1 & ACF X-SERIES ACCESSORIES

C353 COMPLETE 2.5" TAPERED COIL-OVER KIT - \$64.99



INDIVIDUAL ACCESSORIES	PART #	PRICE
2.5" TAPERED UPPER SPRING SEAT - ALUM.	20130B	\$29.99
C/O NUT, 2-1/8"-10 THREAD	C354	\$46.99
UPPER SPRING SEAT CLIP RETAINER	10243SR	\$5.99
SWIVEL DELETE CUP	20128D-2	\$21.99
STANDARD BILLET ROD END	B212	\$29.99
1" EXTENDED BILLET ROD END	B212-1	\$29.99
WASHER 1.18" X 0.827" X 0.078"	A550090005X	\$2.99



C352 COMPLETE 2.5" FLAT COIL-OVER KIT - \$64.99

INDIVIDUAL ACCESSORIES	PART #	PRICE
2.5" FLAT UPPER SPRING SEAT - ALUM.	20128DB	\$35.19
C/O NUT, 2-1/8"-10 THREAD	C354	\$46.99
UPPER SPRING SEAT CLIP RETAINER	10243SR	\$5.99
SWIVEL DELETE CUP	20128D-2	\$21.99
STANDARD BILLET ROD END	B212	\$29.99
1" EXTENDED BILLET ROD END	B212-1	\$29.99
WASHER 1.18" X 0.827" X 0.078"	A550090005X	\$2.99

AC, ACR1 SERIES NON-ADJUSTABLE ACCESSORIES


C350 COMPLETE 2.5" TAPERED COIL-OVER KIT FOR NON-ADJ. AC, ACR1 SERIES - \$64.99 NOTE: For use with new B212 or B212-1 billet rod end.

C349 COMPLETE 2.5" FLAT COIL-OVER KIT FOR NON-ADJ. AC, ACR1 SERIES - \$64.99 NOTE: For use with new B212 or B212-1 billet rod end.



INDIVIDUAL ACCESSORIES	PART #	PRICE
2.5" TAPERED UPPER SPRING SEAT - ALUM.	20130B	\$29.99
2.5" AC SHOCK ADJUSTABLE NUT	C321	\$29.99
UPPER SPRING SEAT CLIP RETAINER	10243SR	\$5.99
SWIVEL DELETE CUP	20128D-2	\$21.99
STANDARD BILLET ROD END	B212	\$29.99
1" EXTENDED BILLET ROD END	B212-1	\$29.99
WASHER 1.18" X 0.827" X 0.078"	A550090005X	\$2.99





C320 COMPLETE 2.5" COIL-OVER KIT FOR NON-ADJ. AC SERIES - \$59.99 NOTE: For use with standard B200 rod end.



INDIVIDUAL ACCESSORIES	PART #	PRICE
2.5" UPPER SPRING SEAT - ALUM.	C303	\$34.99
2.5" AC SHOCK ADJUSTABLE NUT	C321	\$29.99
"DIAPER PIN" - BB	10157	\$9.99

INDIVIDUAL ACCESSORIES



INDIVIDUAL ACCESSORIES	PART #	PRICE
1/2" I.D. "BB" BEARING MOUNT	B200A	\$29.99
2.25" ADJUSTABLE NUT	C341	\$23.99





INDIVIDUAL ACCESSORIES	PART #	PRICE
2" WASHER - STAINLESS STEEL	C304	\$9.99
WASHER 1.18" X 0.827" X 0.078"	A550090005X	\$2.99

OVAL TRACK ACCESSORIES

SBA, ASB SERIES ACCESSORIES





ADDITIONAL ACCESSORIES





INDIVIDUAL ACCESSORIES	PART #	PRICE
1.875" UPPER SPRING SEAT - ALUM.	C378	\$34.99
1.875" ASB SHOCK ADJUSTABLE NUT	C331	\$34.99
"DIAPER PIN" - SB	C323	\$4.99
2.5" UPPER SPRING SEAT - ALUM.	C303	\$34.99
2.5" ASB SHOCK ADJUSTABLE NUT	C336	\$30.99
1/2" I.D. "SB" BEARING MOUNT	B275	\$29.99
DOUBLE SPRING SLEEVE	C401	\$34.99
JAM NUT DOUBLE SPRING KIT	C402	\$18.99

BLACK BODY WB SERIES "WITH REMOVABLE ROD END" ACCESSORIES

C300WB 2.5" SPRING COIL-OVER KIT FOR BLACK BODY WB "WITH REMOVABLE ROD END" - \$69.99



































INDIVIDUAL ACCESSORIES	PART #	PRICE
STEEL BEARING MOUNT	WB200	\$16.99
THREADED TUBE - ALUM. 2" BODY (WB)	C301WB	\$44.99
ADJUSTER NUT - ALUM. 2.5"	C302	\$34.99

INDIVIDUAL ACCESSORIES	PART #	PRICE
UPPER SPRING SEAT - ALUM. 2.5"	20130B	\$29.99
UPPER SPRING SEAT CLIP RETAINER	10243SR	\$5.99

INDIVIDUAL ACCESSORIES	PART #	PRICE
ADJUSTABLE NUT FOR 5" SPRING	C328	\$39.99
5" SPRING ADAPTER - TOP PLATE	20118B	\$43.99
SPRING SEAT ADAPTER	A550090151XM	\$6.99

GOLD BODY WB AND TA SERIES ACCESSORIES

C300 2.5" SPRING COIL-OVER KIT - \$69.99

C301 0302C303 \$44.99 \$34.99 \$34.99 C305PG 10157 \$5.49 \$9.99

C327 5" SPRING COIL-OVER KIT - \$94.99



ASB/SR SERIES

(ALUMINUM SMALL BODY)

3-POSITION REBOUND ADJUSTABLE COIL-OVER



PRO° Shocks delivers the ultimate coil-over Hot Rod shock in the ASB/SR Shock Series. Featuring an all-aluminum body and 3-position rebound adjustable valving, every Hot Rod deserves the plush ride delivered by the ASB/SR shocks. The true benefits from these shocks can be found in the adjustable valving. These shocks can be adjusted from "Soft" for a lightweight car, to "Firm" for a heavier ride, to match the exact valving to the needs of your Hot Rod. Additionally, the aluminum body can be polished to a high luster to accent the looks of your Hot Rod. The ASB/SR Series shocks are available in a wide variety of mounting lengths and urethane end options.

- Adjustable from "Soft" to "Firm".
- Aluminum billet construction.
- Great shock from "T-Bucket" to "Lead Sled".
- Polished finish available by request.
- Must install with shaft pointing up to work properly.



Adjustments.

> SEE PAGE 44 FOR DYNO CHARTS.

HOW TO ORDER YOUR SHOCKS

To order the shock combination you want, construct your shock part number by following the example below. The shock series is the first designation, then the stroke length, body type, mount type and finally the optional polished finish and/or small body. An example part number for non-polished would be ASB/SR3AB. That same part number in a polished small body would be ASB/SR3ABPS as shown below.

SHOCK	STROKE	BODY TYPE	MOUNT	POLISHED	1-7/8"
SERIES	Length	(A=ALUM.)	Type	FINISH OPTION	COIL-OVER KIT
ASB/SR	3"	A	B*	Р	S

*MOUNT TYPE OPTIONS: B = 1/2" BEARING, B58 = 5/8" BEARING, U = 1/2" URETHANE, U58 = 5/8" URETHANE.



ASB/SR SERIES

3-POSITION REBOUND ADJUSTABLE COIL-OVER

HOW TO SPECIFY YOUR SHOCK

Using the compressed and extended lengths taken from existing shocks may not be the most accurate solution for your vehicle. Set the vehicle at the desired ride height and measure from the center of the upper shock mount to the center of the lower shock mount to determine the length of shock needed and determine your specific mounting configuration. This method of measuring shock lengths works in both coil-over and non-coil-over applications. If a measurement should fall between shock lengths, choose the shock that gives you the most compression travel. Refer to the diagram on page 36 to help determine the shock length for your application.

PART N	UMBER					
NATURAL FINISH Non-adjustable	POLISHED Non-adjustable	STROKE LENGTH	COMPRESSED / Extended Length	RIDE HEIGHT	RECOMMENDED SPRING HEIGHT	MOUNT Type
ASB/SR3AB	ASB/SR3ABP	3"	8.5" / 11.5"	10.5"	7"	1/2" BEARING
ASB/SR4AB	ASB/SR4ABP	4"	9.5" / 13.5"	11.5"	8"	1/2" BEARING
ASB/SR5AB	ASB/SR5ABP	5"	10.5" / 15.5"	13.5"	10"	1/2" BEARING
ASB/SR6AB	ASB/SR6ABP	6"	11.5" / 17.5"	15"	10", 12"	1/2" BEARING
ASB/SR3AU	ASB/SR3AUP	3"	8.5" / 11.5"	10.5"	7"	1/2" URETHANE
ASB/SR4AU	ASB/SR4AUP	4"	9.5" / 13.5"	11.5"	8"	1/2" URETHANE
ASB/SR5AU	ASB/SR5AUP	5"	10.5" / 15.5"	13.5"	10"	1/2" URETHANE
ASB/SR6AU	ASB/SR6AUP	6"	11.5" / 17.5"	15"	10", 12"	1/2" URETHANE
ASB/SR3AB58	ASB/SR3AB58P	3"	8.5" / 11.5"	10.5"	7"	5/8" BEARING
ASB/SR4AB58	ASB/SR4AB58P	4"	9.5" / 13.5"	11.5"	8"	5/8" BEARING
ASB/SR5AB58	ASB/SR5AB58P	5"	10.5" / 15.5"	13.5"	10"	5/8" BEARING
ASB/SR6AB58	ASB/SR6AB58P	6"	11.5" / 17.5"	15"	10", 12"	5/8" BEARING
ASB/SR3AU58	ASB/SR3AU58P	3"	8.5" / 11.5"	10.5"	7"	5/8" URETHANE
ASB/SR4AU58	ASB/SR4AU58P	4"	9.5" / 13.5"	11.5"	8"	5/8" URETHANE
ASB/SR5AU58	ASB/SR5AU58P	5"	10.5" / 15.5"	13.5"	10"	5/8" URETHANE
ASB/SR6AU58	ASB/SR6AU58P	6"	11.5" / 17.5"	15"	10", 12"	5/8" URETHANE

Add an S for 1-7/8" coil-over kit.

- SEE PAGE 36 FOR HELP WITH CHOOSING YOUR SHOCK LENGTH.

BUILD YOUR OWN SHOCK

To construct a shock to meet your specific needs, first choose your desired part number from the chart below and then choose the appropriate accessories from the parts shown. Note all part numbers for ordering, as you will be building your own shock. When ordering an accessory in a non-polished finish add -10.

PART NUMBER	STROKE LENGTH	COMP. / EXT. LENGTH	RIDE HEIGHT	PRICE
ASB/SR3 *(P)	3"	8.5" / 11.5"	10.5"	\$129.99
ASB/SR4 *(P)	4"	9.5" / 13.5"	11.5"	\$129.99
ASB/SR5 *(P)	5"	10.5" / 15.5"	13.5"	\$129.99
ASB/SR6 *(P)	6"	11.5" / 17.5"	15"	\$129.99





C200 SERIES

(STEEL SMALL BODY)

NON-ADJUSTABLE GM COIL-OVER



PRO® Shocks offers the C200 Series shock to update your muscle car with a bolt-in designed coil-over front shock package. The C200 Series shocks are engineered to meet the demands of today's modern muscle cars. The coil-over design promotes adjustable ride height with a turn of the adjuster nut. Adjusting your car's ride height has never been easier.

- Coil-over design allows for quick ride height adjustment to get the stance you desire.
- Comes complete with tapered spring package based on make, model, and year.

HOW TO ORDER YOUR SHOCKS

To order the shock combination you want, find your make, model, and year on the corresponding chart on page 35 and select the appropriate part number.



CHROME & BLACK TAPERED SPRINGS



	PART NUMBER	FREE LENGTH	TOP I.D.	BOTTOM I.D.	RATE	PRICE
ш	8SR375	8"	3-1/2"	2-1/2"	375	\$89.99
CHROME	8SR500	8"	3-1/2"	2-1/2"	500	\$89.99
罢	10SR350	10"	3-1/2"	2-1/2"	350	\$89.99
	10SR450	10"	3-1/2"	2-1/2"	450	\$89.99
	10SR550	10"	3-1/2"	2-1/2"	550	\$89.99
	10GM300	10"	4"	2-5/8"	300	\$89.99
×	10GM375	10"	4"	2-5/8"	375	\$89.99
BLAC	10GM400	10"	4"	2-5/8"	400	\$89.99
	10GM450	10"	4"	2-5/8"	450	\$89.99
	10GM550	10"	4"	2-5/8"	550	\$89.99

(STEEL SMALL BODY)

NON-ADJUSTABLE GM COIL-OVER

FRONT			
SMALL BLOCK CHEVY	BIG BLOCK CHEVY		
STEEL	STEEL		
SBC COIL-OVER	BBC COIL-OVER		
PRICE - \$499.99 Pair	PRICE - \$499.99 Pair		


BUICK	FRONT		
'73-'87 REGAL	C200/GM300	C200/GM450	
'64-'67 SKYLARK	C200/SR375	C200/SR500	
'68-'72 SKYLARK	C200/SR350	C200/SR450	

CHEVROLET	FRONT		
'67-'69 CAMARO	C200/SR375	C200/SR500	
'70-'81 CAMARO	C200/GM300	C200/GM450	
'64-'67 CHEVELLE, EL CAMINO	C200/SR375	C200/SR500	
'68-'72 CHEVELLE, EL CAMINO	C200/SR350	C200/SR450	
'73-'83 CHEVELLE, EL CAMINO	C200/GM300	C200/GM450	
'70-'72 MONTE CARLO	C200/SR350	C200/SR450	
'73-'88 MONTE CARLO	C200/GM300	C200/GM450	
'68-'74 NOVA, CHEVY II	C200/SR375	C200/SR500	
'75-'79 NOVA, CHEVY II	C200/GM300	C200/GM450	
'63-'82 CORVETTE	C200/SR375	C200/SR500	
'84-'04 S-10, S-15 2WD	C200/GM300	C200/GM450	
'55-'57 FULL SIZE (IMPALA, BEL AIR)	C250/GM300	C250/GM450	
'58-'93 FULL SIZE (IMPALA, BEL AIR)	C200/GM300	C200/GM450	

OLDSMOBILE	FRONT		
'64-'67 CUTLASS, 442	C200/SR375	C200/SR500	
'68-'72 CUTLASS, 442	C200/SR350	C200/SR450	
'73-'87 CUTLASS, 442	C200/GM300	C200/GM450	
'73-'74 OMEGA	C200/SR375	C200/SR500	
'75-'79 OMEGA	C200/GM300	C200/GM450	

PONTIAC	FRONT		
'67-'69 FIREBIRD	C200/SR375	C200/SR500	
'70-'81 FIREBIRD	C200/GM300	C200/GM450	
'64-'67 GTO, TEMPEST, LEMANS	C200/SR375	C200/SR500	
'68-'72 GTO, TEMPEST, LEMANS	C200/SR375	C200/SR500	
'73-'87 GRAN PRIX, LEMANS	C200/GM300	C200/GM450	
'74-'77 GTO, VENTURA	C200/GM300	C200/GM450	

ASB/SR SERIES (ALUMINUM SMALL BODY) MUSTANG II COIL-OVER



PRO® Shocks ASB/SR Series (aluminum 3-position rebound adjustable shocks) offer unmatched quality and ride control. These shocks feature direct bolt-in fitment with no modifications necessary. Additionally, since this shock package is a true coil-over, you can make ride height changes simply by turning the adjuster nut. The valving can be fine-tuned for precise ride control from the "Soft" setting for light cars, to the "Firm" setting for an aggressive ride or a heavier car.

- All-aluminum construction.
- 3-position valving adjustment for precise ride control.
- Coil-over design for infinite ride height adjustment.
- Available in 4 different mounting lengths for optimum fitment.
- Coil springs are available in multiple rates for smooth ride control.
- Polished finish available by request.



Soft, Medium & Firm Adjustments.

> SEE PAGE 44 FOR DYNO CHARTS.




HOW TO CHOOSE YOUR SHOCK LENGTH

The instructions below are general in scope and cannot encompass every application. To determine the stroke length you need for your application:

- 1 Set your vehicle at desired ride height.
- 2 Measure from the center of the mount locations.
- Match your length at ride height to the table on the next page.





*SPRING SOLD SEPARATELY. SEE PAGE 37 FOR SPRINGS.

ASB/SR SERIES

MUSTANG II COIL-OVER

HOW TO SPECIFY YOUR SHOCKS

Using the compressed and extended lengths taken from existing shocks may not be the most accurate solution for your vehicle. Set the vehicle at the desired ride height and measure from the center of the upper shock mount to the center of the lower shock mount to determine the length of shock needed and determine your specific spring type. This method of measuring shock lengths works in both coil-over and non coil-over applications. If a measurement should fall between shock lengths, choose the shock that gives you the most compression travel. Refer to the charts on the following pages for our shock lengths to fit your application.

PART NUMBER	COMP. / EXT. LENGTH	STROKE LENGTH	RIDE HEIGHT	SPRING TYPE
ASB/SR3AM2	8.5" / 11.5"	3"	10.5"	OEM - NON-COIL-OVER
ASB/SR4AM2	9.5" / 13.5"	4"	11.5"	OEM - NON-COIL-OVER
ASB/SR5AM2	10.5" / 15.5"	5"	13.5"	OEM - NON-COIL-OVER
ASB/SR6AM2	11.5" / 17.5"	6"	15"	OEM - NON-COIL-OVER
ASB/SR3AM2T	8.5" / 11.5"	3"	10.5"	TAPERED - SOLD SEPARATELY
ASB/SR4AM2T	9.5" / 13.5"	4"	11.5"	TAPERED - SOLD SEPARATELY
ASB/SR5AM2T	10.5" / 15.5"	5"	13.5"	TAPERED - SOLD SEPARATELY
ASB/SR6AM2T	11.5" / 17.5"	6"	15"	TAPERED - SOLD SEPARATELY

For polished shocks add "P" to the end of the part number. An example of a part number for non-polished may be ASB/SR3AM2. That same part number in a polished finish would be ASB/SR3AM2P.



CHROME TAPERED SPRINGS

HOW TO CHOOSE YOUR FRONT SPRINGS

find your car in the vehicle chart below.

Choose your part number.

Match the recommended spring rate to part number chart below.

YEAR	CAR TYPE	FRONT WEIGHT	SPRING RATE
'27	FORD COUPE	1200	300
'28-'31	FORD COUPE	1350	350
'32-'34	FORD COUPE	1400	375
'35-'38	FORD COUPE	1600	450
'39-'40	FORD COUPE	1700	600
'41-'48	FORD COUPE	1750	700
'32-'38	CHEVROLET, PLYMOUTH AND DODGE COUPE	1500	450
'39-'40	CHEVROLET, PLYMOUTH AND DODGE COUPE	1600	500
'41-'48	CHEVROLET, PLYMOUTH AND DODGE COUPE	1700	600

PART NUMBER	FREE LENGTH	TOP I.D.	BOTTOM I.D.	RATE	PRICE
8SR375	8"	3-1/2"	2-1/2"	375	\$89.99
8SR500	8"	3-1/2"	2-1/2"	500	\$89.99
10SR350	10"	3-1/2"	2-1/2"	350	\$89.99
10SR450	10"	3-1/2"	2-1/2"	450	\$89.99
10SR550	10"	3-1/2"	2-1/2"	550	\$89.99
10GM300	10"	4"	2-5/8"	300	\$89.99
10GM375	10"	4"	2-5/8"	375	\$89.99
10GM400	10"	4"	2-5/8"	400	\$89.99
10GM450	10"	4"	2-5/8"	450	\$89.99
10GM550	10"	4"	2-5/8"	550	\$89.99



SM SERIES

(STEEL SMALL BODY)

CHROME STREET ROD SHOCKS



PRO® Shocks offers the standard of the industry in straight axle shocks. These steel body, chrome shocks are valved to soften the road, look awesome, and provide years of outstanding appearance and performance. These shocks feature a 5/8" urethane bushing with a 1/2" steel sleeve on both ends for quiet running in all conditions.

The SM Series is available in 2 different mounting and installed dimensions to fit many Hot Rods on the road. If you are building a new car or updating your current ride, look no further than PRO° "SM Series" Hot Rod shocks.

PART NUMBER	RIDE HEIGHT Mounted Length	CLOSED COMPRESSED LENGTH	OPEN Extended Length	MOUNTING ENDS
 SM400	10"	8"	12.1"	STUD/EYE
SM500	12"	9.5"	14.5"	EYE/EYE



SPRINGS

COIL-OVER SPRINGS

Inner Diameter: **2-5/8**³³

Chrome C/O Springs: **\$79.99**_{Ea.}



Rigorous testing and design have yielded what we believe to be the best looking and best performing chrome spring on the market. These springs will provide the strength, durability, and show stopping good looks you desire.

We completely polish these springs - inside and out - for 360° of high-quality chrome finish. We set out to provide you with a spring that looked amazing on the outside and performed to exceed your expectations. We have achieved our goal with these chrome coil-over springs.

7" SPRINGS			
PART #	RATE		
27300-1CR	300		
27350-1CR	350		
27400-1CR	400		
27450-1CB	450		

8" SPRINGS				
PART #	RATE			
28150-1CR	150			
28200-1CR	200			
28225-1CR	225			
28250-1CR	250			
28300-1CR	300			
28325-1CR	325			
28375-1CR	375			
28400-1CR	400			
28450-1CR	450			
28500-1CR	500			

10" SPRINGS				
PART #	RATE	PART #	RATE	
23115CR	115	23300CR	300	
23125CR	125	23325CR	325	
23140CR	140	23350CR	350	
23150CR	150	23375CR	375	
23165CR	165	23400CR	400	
23175CR	175	23425CR	425	
23200CR	200	23450CR	450	
23225CR	225	23500CR	500	
23250CR	250	23550CR	550	
23275CR	275	23600CR	600	

12" SPRINGS				
RATE	PART #	RATE		
95	22250CR	250		
110	22275CR	275		
125	22300CR	300		
150	22350CR	350		
175	22375CR	375		
185	22400CR	400		
200	22500CR	500		
225				
	95 110 125 150 175 185 200	RATE PART # 95 22250CR 110 22275CR 125 22300CR 150 22350CR 175 22375CR 185 22400CR 200 22500CR		

AVERAGE STREET ROD WEIGHTS

YEAR	CAR TYPE	FRONT Weight	REAR WEIGHT
'27	FORD COUPE	1200	1300
'28-'31	FORD COUPE	1350	1400
'32-'34	FORD COUPE	1400	1600
'35-'38	FORD COUPE	1600	1700
'39-'40	FORD COUPE	1700	1800
'41-'48	FORD COUPE	1750	1700
'32-'38	CHEVROLET, PLYMOUTH & DODGE COUPE	1500	1550
'39-'40	CHEVROLET, PLYMOUTH & DODGE COUPE	1600	1600
'41-'48	CHEVROLET, PLYMOUTH & DODGE COUPE	1700	1600
	OPTION	FRONT WEIGHT	REAR WEIGHT
	OPTION 4-DOOR SEDAN		
		WEIGHT	WEIGHT
	4-DOOR SEDAN	WEIGHT 0	WEIGHT +125
	4-DOOR SEDAN SEDAN DELIVERY	0 +50	+125 +200
	4-DOOR SEDAN SEDAN DELIVERY ROADSTER	0 +50 -50	+125 +200 -50
	4-DOOR SEDAN SEDAN DELIVERY ROADSTER LESS FENDERS	WEIGHT 0 +50 -50 -100	+125 +200 -50 -75
	4-DOOR SEDAN SEDAN DELIVERY ROADSTER LESS FENDERS AIR CONDITIONING	WEIGHT 0 +50 -50 -100 +75	+125 +200 -50 -75 +25

COIL-OVER SPRING RATES

FRUNT			
INDEPENDENT SUSPENSION		STRAIG	HT AXLE
CAR WEIGHT	SPRING RATE	CAR WEIGHT	SPRING RATE
1350	350	1150	350
1475	400	1350	400
1550	450	1550	450
1600	500	1600	500
1750	550	1750	550
	RE	AR	
INDEPENDENT	T SUSPENSION	STRAIGHT AXLE	
CAR WEIGHT	SPRING RATE	CAR WEIGHT	SPRING RATE
1150	150	1000	150
1350	175	1150	175
1450	200	1350	200
1550	225	1550	225
1600	250	1600	250
1000	250		
1750	275	1750	275

SHOCK ACCESSORIES



DESCRIPTION	PART #	PRICE
SPRING SEAT - ALUMINUM	A110	\$15.99
BUMP RUBBER SPRING - MEDIUM	A140	\$20.99
BUMP RUBBER SPRING - STIFF	A150	\$17.99



DESCRIPTION	PART #	PRICE
PRESSURE GAUGE - ALUMINUM	GAUGE	\$79.99



DESCRIPTION	PART #	PRICE
ALUMINUM ROD END - 9/16"	B200A	\$29.99
ALUMINUM ROD END - 1/2"	B275	\$29.99



DESCRIPTION	PART #	PRICE
NEW STYLE ROD END - 9/16"	B212	\$29.99
NEW STYLE 1" EXTENDED ROD END - 9/16"	B212-1	\$29.99
*E		



DESCRIPTION	PART #	PRICE
GM BAR PIN ASSEMBLY - 9/16"	S512/514	\$14.99
GM BAR PIN ASSEMBLY - 1/2"	S577	\$12.99



DESCRIPTION	PART #	PRICE
RUBBER EYERING ASSEMBLY - 9/16"	S500	\$14.99
1/2" SLEEVE - 1/2"	S501	\$4.49
RUBBER EYERING ASSEMBLY - 1/2"	S575	\$12.99



DESCRIPTION	PART #	PRICE
STUD MOUNT ASSEMBLY - 9/16"	S506	\$14.99
STUD MOUNT ASSEMBLY - 1/2"	S576	\$14.99



DESCRIPTION	PART #	PRICE
STEEL ROD END - 9/16"	WB200	\$16.99



DESCRIPTION	PART#	PRICE
SNAP RING - PG, NEW TA C/O	C305PG	\$5.49
SNAP RING - SB COIL-OVER	C379	\$4.49
SPRING RETAINER CLIP - NEW STYLE	10243SR	\$5.99



DESCRIPTION	PART #	PRICE
1/2" BEARING - STEEL/STEEL	B210SS	\$16.99
BEARING CLIP	B211	\$2.99
REPLACEMENT 1/2" BEARING AND CLIP FOR NEW BODY WITH DOT ABOVE BEARING POSITION	1000	\$19.99



DESCRIPTION	PART #	PRICE
"DIAPER PIN" - BB	10157	\$9.99
"DIAPER PIN" - SB	C323	\$4.99



DESCRIPTION	PART #	PRICE
BUMP CUP	11000071610	\$64.99
BUMP CUP-BIG BODY	11000071611	\$64.99



DESCRIPTION	PART #	PRICE
DUAL SPRING KIT - ASB SERIES	C400	\$59.99
DOUBLE SPRING SLEEVE - SB	C401	\$34.99
JAM NUTS DOUBLE SPRING KIT - SB	C402	\$18.99



DESCRIPTION	PART #	PRICE
1" EXTENSION - 9/16"	C510	\$16.99
2" EXTENSION - 9/16"	C520	\$16.99
1" EXTENSION - 1/2"	C515	\$16.99



DESCRIPTION	PART #	PRICE
SPANNER WRENCH	Z902	\$12.99






DESCRIPTION	PART #	PRICE
TRAVEL INDICATOR KIT - 2"	9900	\$4.99
TRAVEL INDICATOR KIT - 1.625"	9905	\$5.49


MONOTUBE GAS SERIES

(ALUMINUM SMALL BODY)

G, GC SERIES SINGLE ADJUSTABLE SHOCKS


LINEAR-LINEAR PISTON









DIGRESSIVE-DIGRESSIVE PISTON







PRO® TWIN SERIES

A1, ACF1 SERIES SINGLE ADJUSTABLE











REBOUND ADJUSTABLE RANGES (10-12 & 12-14)






◆ SEE PAGES 14-15 FOR A1, ACF1 SERIES SHOCKS.


PRO® TWIN SERIES

(ALUMINUM BIG BODY)

A2, ACF2 SERIES DOUBLE REBOUND ADJUSTABLE

REBOUND ADJUSTABLE RANGES (3-7 & 6-11)











◀ SEE PAGES 12-13 FOR A2, ACF2 SERIES SHOCKS.

REBOUND ADJUSTABLE RANGES (8-12 & 10-14)






PRO® TWIN SERIES

(ALUMINUM BIG BODY)

ACF3 SERIES TRIPLE ADJUSTABLE SHOCKS

COMPRESSION ADJUSTABLE RANGE

◀ SEE PAGE 43 FOR REBOUND ADJUSTABLE DYNO CHARTS.








◀ SEE PAGES 10-11 FOR ACF3 SERIES SHOCKS.

ASB/SR SERIES

(ALUMINUM SMALL BODY)

3-POSITION & MUSTANG II SHOCKS

REBOUND ADJUSTABLE RANGE





◀ SEE PAGES 32-33 FOR ASB/SR SERIES SHOCKS.

NEXT GENERATION TWIN TUBE SERIES

(ALUMINUM BIG BODY)

AR1, ACR1 SERIES NON-ADJUSTABLE

PRO® Shocks has redesigned our Big Body Non-Adjustable series with speed and tunability in mind. The AR1 Series features fully machined components including valves, sealing surfaces, and compression head. With more precision parts, we are able to isolate compression and rebound bleed circuits to reduce fluid bypass in the system. The AR1 Series is available in 6", 7", 8", and 9" lengths and is now available with a smooth or threaded body.

Fully machined and rebuildable base valve.

Steam treated piston with machined sealing surfaces.

 Precision components for greater consistency and increased repeatability.

Custom tuning to meet the racer's needs.

AR1, ACR1 Series Non-Adjustable: \$245.99

CALL PRO® SHOCKS FOR YOUR CUSTOM BUILT SHOCK!

See page 30 for ACR1 c/o kits.



DESCRIPTION	PART #	PRICE
AR1 6" BODY LENGTH - SMOOTH	AR1600	\$245.99
AR1 7" BODY LENGTH - SMOOTH	AR1700	\$245.99
AR1 8" BODY LENGTH - SMOOTH	AR1800	\$245.99
AR1 9" BODY LENGTH - SMOOTH	AR1900	\$245.99

DESCRIPTION	PART #	PRICE
ACR1 7" BODY LENGTH - THREADED	ACR1700	\$245.99
ACR1 9" BODY LENGTH - THREADED	ACR1900	\$245.99

PRO'SHOCKS VALVING OPTIONS INDEX

MONOTUBE GAS SERIES

G & GC SERIES VALVE OPTIONS

ADJUSTABLE 4 THROUGH 6, 5 THROUGH 7
COMPRESSION RANGE

ADJUSTABLE 2 THROUGH 5.5, 3 THROUGH 6, 4 THROUGH 7

TWIN TUBE SERIES

A1 & ACF1 SERIES VALVE OPTIONS

ADJUSTABLE 3 THROUGH 6, 4 THROUGH 7, 6 THROUGH 9, REBOUND RANGE 8 THROUGH 10, 10 THROUGH 12, 12 THROUGH 14

A2 & ACF2 SERIES VALVE OPTIONS

ADJUSTABLE 3 THROUGH 7, 6 THROUGH 11, 8 THROUGH 12, REBOUND RANGE 10 THROUGH 14

ACF3 SERIES VALVE OPTIONS

ADJUSTABLE 3 THROUGH 7

ADJUSTABLE 3 THROUGH 7, 6 THROUGH 11, 8 THROUGH 12, REBOUND RANGE 10 THROUGH 14

A X & ACF X-SERIES VALVE OPTIONS

NON-ADJUSTABLE 2,3,4,4.5,5,5.5,6,6T,6.5,7,7.5,8,9,

REBOUND VALVE 10,11,12,13,14

TWIN TUBE SERIES

A & AC SERIES VALVE OPTIONS

NON-ADJUSTABLE COMPRESSION VALVE 0.5, 1, 2, 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9 NON-ADJUSTABLE 0.5, 1, 2, 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9,

REBOUND VALVE 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13, 13.5, 14

ASB & SBA SERIES VALVE OPTIONS

NON-ADJUSTABLE COMPRESSION VALVE 0.5, 1, 2, 3, 4, 4.5, 5, 5.5, 6, 6.5, 7

NON-ADJUSTABLE REBOUND VALVE 0.5, 1, 2, 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8

TA & TASS SERIES VALVE OPTIONS

NON-ADJUSTABLE COMPRESSION VALVE 1, 2, 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9

NON-ADJUSTABLE 0.5, 1, 2, 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, REBOUND VALVE 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13, 13.5, 14

TASB & TASSSB SERIES VALVE OPTIONS

NON-ADJUSTABLE COMPRESSION VALVE 0.5, 1, 2, 3, 4, 4.5, 5, 5.5, 6, 7

NON-ADJUSTABLE REBOUND VALVE 0.5, 1, 2, 3, 4, 4.5, 5, 5.5, 6, 7, 8

GOO



THE CHOICE OF PROFESSIONALS

AVAILABLE IN MULTIPLE PANEL COMBINATIONS The state of th

SPORTSMAN[™] ELTE GAUGES

The all-new Sportsman™ Elite Gauges take the traditional Sportsman™ gauge to the next level by incorporating SMi™ technology into this updated mechanical gauge. The Sportsman™ Elite Gauge has eliminated the external warning light and the need for any extra wiring. The warning lights are now included in the gauge face. Once your gauge reaches the warning level from the sending unit, the gauge lights up with the warning color. The Sportsman™ Elite Gauge comes equipped with a bright white backlight and a red needle for optimal clarity. Legal in all forms of motorsports and classes.













THE NEXT GENERATION IN INSTRUMENTATION!

LONGACRE®

WATERPROOF GAUGES

Engineered for wet and dirty environments, the Longacre® Racing Products Digital Elite Waterproof Gauges and SMi™ Elite Waterproof Gauges provide the absolute best in waterproof sealing. These elite gauges provide the most precise measurements on the market with unmatched resistance to vibration, heat, and moisture.

COMPUTERSCALES



DUAL LOAD CELL PRO WIRED HYBRID™ MODEL SEMI PRO WIRED HYBRID™ MODEL

Purchase these scales with a high resolution tablet. Easily customizable with note-taking and 50 set named memory stores weights and percentages. Download weights to a PC or e-mail.



FOR PART NUMBERS AND PRICING VISIT LONGACRERACING.COM!



Visit www.AFCOPERFORMANCEGROUP.com to view all of our brands and download our catalogs!







AFCO Racing Products
AFCOracing.com
Facebook.com/AFCORacingProducts

Longacre Racing Products LongacreRacing.com Facebook.com/LongacreRacing **Dynatech Headers**DynatechHeaders.com
Facebook.com/DynatechHeaders

DeWitts RadiatorDeWitts.com
Facebook.com/DeWittsRadiator

PRO*Shocks PROshocks.com Facebook.com/PROshocks

Legend SuspensionsLegendSuspensions.com
Facebook.com/LegendSuspensions

CONTACT INFO

MAILING ADDRESS

P.O. Box 548 Boonville, IN 47601

SALES AND TECHNICAL SUPPORT

800-632-2320 Open Daily Monday-Friday 8 a.m. - 5:00 p.m. CST

PHYSICAL ADDRESS

977 Hyrock Blvd. Boonville, IN 47601

MARKETING PARTNERS

















LIMITED WARRANTY

AFCO Performance Group, LLC will repair or replace any products found upon our inspection to be defective in workmanship or material within 12 months from date of purchase for the original purchaser. Except for the limited warranty set forth herein, AFCO Performance Group, LLC makes no warranties either expressed or implied, written or oral, with regard to the products including, without limitation, any warranty of merchantability or fitness for a particular purpose. In no event shall AFCO Performance Group, LLC be liable for any special, incidental or consequential damages, or any other damages whatsoever arising out of or connected with the use or misuse of the products. However, a consequential damages whatsoever any other damages whatsoever arising out of or connected with the use or misuse of the products. By a consequence of the products are not products are not D.O.T. approved or intended for street use. Purchasers are relying solely on their own skill and judgment to select, purchase and use suitable products and assume all responsibility and risk with regard thereto.

Visit us online at PROShocks.com for more great products from PRO Shocks!

At PRO Shocks, winning is everything. Building the best parts, providing industry leading technology, great customer service and quick shipping is what you can expect when you log onto PROShocks.com.



Follow us on Facebook to keep up with the action and all things PRO Shocks related!

For PRO Shocks' latest news, technical updates, and event schedules, follow us on Facebook. Get exclusive driver and shock tuner testimonials and shock information! Find us online at Facebook.com/PROShocks.





WWW.PROSHOCKS.COM

977 Hyrock Blvd., Boonville, IN 47601 Ph: 800.632.2320 | Fax: 800.319.2551

Distributed by:



P.O. Box 548, Boonville, IN 47601